

Name of Project: 60 KLPD Distillery Unit by M/s Dalmia Chini Mills Nigohi – Distillery Division at Village Kuiyan, Post-Areli, Tehsil-Tilhar, District Shahjahanpur in Uttar Pradesh.

Project Proponent: Dalmia Chini Mills Nigohi, Distillery Division (A Unit of Dalmia Bharat Sugar and Industries Limited)

Period of Compliance: April, 2018 to September, 2018

Ref.: EC Letter no. J-11011/315/2017-IA II (I) dated 30th May, 2018

S.No.	Conditions	Compliance Status
Specific Conditions given in EC letter dated 30th May, 2018		
(a)	Consent to Establish/ Operate for the project shall be obtained from the state Pollution Control Board as required under the Air(Prevention and Control of Pollution) Act,1981 and the Water (Prevention and Control of Pollution) Act,1974.	Consent to Establish and Consent to Operate have been obtained from.SPCB. Copy attached as Annexure 1a & Annexure 1b(1st) and 1b(2nd) respectively.
(b)	As already committed by the project proponent, Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises.	The plant is completely based on Zero Liquid Discharge . No discharge is ensured.
(c)	Necessary authorization required under the Hazardous and Other Wastes(Management and Tans-Boundary Movement)Rules,2016, Solid Waste Management Rules,2018 shall be obtained and the provisions contained in the Rules shall be strictly adhered to.	We have applied for Authorization required under the Hazardous and Other Wastes (Management and Tans-Boundary Movement) Rules, 2016, Solid Waste Management Rules, 2018 and is under process. Application Copy attached as Annexure 2 .
(d)	To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS. The gaseous	Suitable pollution control devices have been installed to meet the prescribed norms and/or the NAAQS.

	emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.	
(e)	Total fresh water requirement shall not exceed 360 cum/day proposed to be met from ground water. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard.	It will be adhered to when plant will be commissioned. Copy of CGWA NOC attached as Annexure 3 .
(f)	Industrial/trade effluent shall be segregated into High COD/TDS and Low COD/TDS effluent streams. High TDS/COD shall be passed through stripper followed by MEE and ATFD(Agitated thin film drier). Low TDS effluent stream shall be treated in ETP followed by RO to meet the prescribed standards.	Complied with
(g)	Process effluent/any waste water shall not be allowed to mix with storm water. The storm water from the premises shall be collected and discharged through a separate conveyance system.	Complied with. Storm drainage network is built as separate.
(h)	Hazardous chemicals, if any, shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm and the solvent transfer through pumps.	Complied with.

(i)	Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed off to the TSDF.	It Will be complied with when plant will be commissioned.
(j)	The company shall strictly comply with the rules and guidelines under Manufacture, Storage and import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time . All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act(MVA), 1989.	Complied with.
(k)	<p>The company shall undertake waste minimization measures as below-</p> <ul style="list-style-type: none"> (i) Metering and control of quantities of active ingredients to minimize waste (ii) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (iii) Use of automated filling to minimize spillage. (iv) Use of close feed system into batch reactors. (v) Venting equipment through vapour recovery system. (vi) Use of high pressure hoses for equipment cleaning to reduce waste water generation. 	Complied with.

(l)	The green belt of 5-10 m width shall be developed in more than 33% of the total project area, mainly along the plant periphery, in downward wind direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department.	The green belt development work is under progress as per CPCB guidelines at more than 33% area of total project area. Action plan is as below-																																																	
		<table border="1"> <thead> <tr> <th>S.no</th> <th>Planning Schedule</th> <th>No. of Saplings</th> <th>Area (Ha.)</th> <th>Width of green belt</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>1st year</td> <td>1500</td> <td>1.0</td> <td>5 m</td> </tr> <tr> <td>2.</td> <td>2nd year</td> <td>1500</td> <td>1.0</td> <td>5 m</td> </tr> <tr> <td>3.</td> <td>3rd year</td> <td>1500</td> <td>1.0</td> <td>5 m</td> </tr> <tr> <td>4.</td> <td>4th year</td> <td>1500</td> <td>1.0</td> <td>5 m</td> </tr> <tr> <td>5.</td> <td>5th year</td> <td>750</td> <td>0.5</td> <td>5 m</td> </tr> <tr> <td></td> <td>Total</td> <td>6750</td> <td>4.5</td> <td></td> </tr> </tbody> </table>	S.no	Planning Schedule	No. of Saplings	Area (Ha.)	Width of green belt	1.	1st year	1500	1.0	5 m	2.	2 nd year	1500	1.0	5 m	3.	3 rd year	1500	1.0	5 m	4.	4 th year	1500	1.0	5 m	5.	5 th year	750	0.5	5 m		Total	6750	4.5															
S.no	Planning Schedule	No. of Saplings	Area (Ha.)	Width of green belt																																															
1.	1st year	1500	1.0	5 m																																															
2.	2 nd year	1500	1.0	5 m																																															
3.	3 rd year	1500	1.0	5 m																																															
4.	4 th year	1500	1.0	5 m																																															
5.	5 th year	750	0.5	5 m																																															
	Total	6750	4.5																																																
(m)	All the commitments made regarding issues raised during the public hearing/consultation meeting shall be satisfactorily implemented.	Issues raised during the public hearing/consultation meeting are being implemented.																																																	
(n)	At 2% of the total project cost shall be allocated for Corporate Environment Responsibility(CER) and item-wise details along with time bound action plan shall be prepared and submitted to the ministry's Regional Office.	<p>Proposed Budget(In Lakhs) for Enterprise Social Commitment</p> <table border="1"> <thead> <tr> <th>Particulars</th> <th>1st year</th> <th>2nd year</th> <th>3rd year</th> <th>4th year</th> <th>5th year</th> <th>Total (Lakh)</th> </tr> </thead> <tbody> <tr> <td>Water & Social Conservation</td> <td>10</td> <td>10</td> <td>10</td> <td>10</td> <td>10</td> <td>50</td> </tr> <tr> <td>Energy Conservation & Climate Change Mitigation</td> <td>5</td> <td>5</td> <td>5</td> <td>5</td> <td>5</td> <td>25</td> </tr> <tr> <td>Livelihood Skill training</td> <td>5</td> <td>5</td> <td>5</td> <td>5</td> <td>5</td> <td>25</td> </tr> <tr> <td>Social development</td> <td>5</td> <td>5</td> <td>5</td> <td>5</td> <td>5</td> <td>25</td> </tr> <tr> <td>Others</td> <td>5</td> <td>5</td> <td>5</td> <td>5</td> <td>5</td> <td>25</td> </tr> <tr> <td>Sub Total(Rs)</td> <td>30</td> <td>30</td> <td>30</td> <td>30</td> <td>30</td> <td>150</td> </tr> </tbody> </table>	Particulars	1 st year	2 nd year	3 rd year	4 th year	5 th year	Total (Lakh)	Water & Social Conservation	10	10	10	10	10	50	Energy Conservation & Climate Change Mitigation	5	5	5	5	5	25	Livelihood Skill training	5	5	5	5	5	25	Social development	5	5	5	5	5	25	Others	5	5	5	5	5	25	Sub Total(Rs)	30	30	30	30	30	150
Particulars	1 st year	2 nd year	3 rd year	4 th year	5 th year	Total (Lakh)																																													
Water & Social Conservation	10	10	10	10	10	50																																													
Energy Conservation & Climate Change Mitigation	5	5	5	5	5	25																																													
Livelihood Skill training	5	5	5	5	5	25																																													
Social development	5	5	5	5	5	25																																													
Others	5	5	5	5	5	25																																													
Sub Total(Rs)	30	30	30	30	30	150																																													
(o)	For the DG Sets, emission limits and the stack height	DG sets, emission limits and stack height are as per CPCB guidelines. Acoustic enclosures have been																																																	

	shall be in conformity with the extant regulations and the CPCB guidelines. Acoustic enclosures shall be provided to DG set for controlling noise pollution.	provided to DG Sets.
(p)	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms.	Fire hydrant system has been installed and Portable Fire Extinguishers are kept as per norms.
(q)	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Complied with.
(r)	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.	We have sufficient space for vehicles of raw materials and finished products inside the premises. No parking will be allowed outside on public places.
(s)	Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.	To prevent dust pollution and other fugitive emissions; raw materials will be stored in silos or under a shed.
(t)	Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying	<p>Continuous online monitoring system for stack emissions , flow meters along with web camera has been installed for measurement of flue gas discharge and the pollutants concentration, and the data will be transmitted to the CPCB and SPCB server when plant comes under operation.</p> <p>The photographs of the same have been incorporated as Annexure 4 (i) & 4 (ii)</p>

	effluent within the premises.	
(u)	CO ₂ generated from the process shall be bottled and sold to authorized vendors.	Will be complied with.
10.1	Other generic Conditions	
(i)	The project authorities must strictly adhere to the stipulations made by the state Pollution Control Board (SPCB), State Government and/or any other statutory authority.	Noted.
(ii)	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	If require, we will adhere to this.
(iii)	The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations each is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.	Noted and shall be complied with.
(iv)	The National Ambient Air Quality Emission Standards issued by the Ministry vide	Noted.

	G.S.R. No. 826(E) dated 16 th November, 2009 shall be complied with.	
(v)	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75dBA(day time) and 70 dBA (night time).	The overall noise levels in and around the plant area is being kept well within the standards by means of control measures which includes acoustic hoods, silencers, enclosures and green belt etc
(vi)	The company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial operations within the plant.	Rain water from the roof tops of the buildings is being stored in storage tank and use the same water for the process activities of the project to conserve fresh water.
(vii)	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	Complied with. Periodically training to all employees on safety & health aspects is prepared & implementing under the supervision of Safety Committee. Periodical medical examination of employees is being carried out annually. (Attached some relevant photographs)
(viii)	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, risk mitigation measures and public hearing	Complied with.

	shall be implemented.																																	
(ix)	The company shall undertake all measures for improving socio-economic conditions of the surrounding area. CSR activities shall be undertaken by involving local villagers, administration and other stake holders. Also eco-developmental measures shall be undertaken for overall improvement of the environment.	Complied with.																																
(x)	A separate Environmental Management Cell equipped with full- fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	Complied with.																																
(xi)	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment , Forest and climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/pollution control measures shall not be diverted for any other purpose.	<p>BREAKUP OF cost implementing FOR EMP</p> <table border="1"> <thead> <tr> <th>S.no.</th> <th>Description</th> <th>Capital Cost (Cr)</th> <th>Recurring Cost/annum (Lakhs)</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Air /Water Pollution</td> <td>18.9</td> <td>50</td> </tr> <tr> <td>2.</td> <td>Water management</td> <td>1.5</td> <td>25</td> </tr> <tr> <td>3.</td> <td>Environment Monitoring</td> <td>2.0</td> <td>7</td> </tr> <tr> <td>4.</td> <td>Solid waste Management</td> <td>2.0</td> <td>15</td> </tr> <tr> <td>5.</td> <td>Green Belt Development</td> <td>0.50</td> <td>2</td> </tr> <tr> <td>6.</td> <td>Rain water Harvesting</td> <td>0.10</td> <td>1</td> </tr> <tr> <td></td> <td>Total</td> <td>25.0</td> <td>1</td> </tr> </tbody> </table>	S.no.	Description	Capital Cost (Cr)	Recurring Cost/annum (Lakhs)	1.	Air /Water Pollution	18.9	50	2.	Water management	1.5	25	3.	Environment Monitoring	2.0	7	4.	Solid waste Management	2.0	15	5.	Green Belt Development	0.50	2	6.	Rain water Harvesting	0.10	1		Total	25.0	1
S.no.	Description	Capital Cost (Cr)	Recurring Cost/annum (Lakhs)																															
1.	Air /Water Pollution	18.9	50																															
2.	Water management	1.5	25																															
3.	Environment Monitoring	2.0	7																															
4.	Solid waste Management	2.0	15																															
5.	Green Belt Development	0.50	2																															
6.	Rain water Harvesting	0.10	1																															
	Total	25.0	1																															
(xii)	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zila	Complied with. (attached proof of the same)																																

	Parishad/Municipal Corporation, Urban local body and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal.	
(xiii)	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF &CC, the respective Zonal office of CPCB & SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	Being complied with this first report.
(xiv)	The environmental statement for each financial year ending 31 st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of Environmental Clearance conditions and shall also be sent to the respective Regional offices of MoEF & CC by e-mail.	Shall be complied with.
(xv)	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of	We have already published the accordance of Environmental Clearance in local newspapers. Hindustan Times on dated 06.06.2018 and Rashtriya Sahara on dated 05.06.2018

<p>the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at http://moef.nic.in. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional office of the Ministry.</p>	<p>Newspaper advertisements are enclosed as Annexure – 5 (i) & 5(ii)</p>
---	--

Signature & Seal



DALMIA CHINI MILLS - UNIT NIGOHI
Prop. DALMIA CEMENT (Bharat) LIMITED
Vill.- Kuiyan, P.O. Areli, Teh.- Tilhar
Distt.- Shahjahanpur



UTTAR PRADESH POLLUTION CONTROL BOARD

Validity Period :11/05/2018 To 11/05/2023

Ref No. -
16565/UPPCB/Bareilly(UPPCBRO)/CTE/SHAHJAHANPUR /2018

Dated:- 29/05/2018

To ,

Shri KULDEEP KUMAR

M/s M/s DALMIA CHINI MILLS, NIGOHI-DISTILLERY DIVISION

M/s DALMIA CHINI MILLS, NIGOHI-DISTILLERY DIVISION (A UNIT OF DALMIA BHARAT SUGAR AND INDUSTRIES LTD.), VILL.-KUIYAN, PO-ARELI, TAHSIL.-TILHAR, DISTT-SHAHJAHANPUR

SHAHJAHANPUR

Sub : Consent to Establish for New Unit/Expansion/Diversification under the provisions of Water (Prevention and control of pollution) Act, 1974 as amended and Air (Prevention and control of Pollution) Act, 1981 as amended.

Please refer to your application form no 766402 dated - 19/02/2018 .After examining the application with respect to pollution angle, Consent to Establish is granted subject to the compliance of following conditions :

1. Consent to Establish is being issued for following specific details :

A- Site along with geo-coordinates :

B- Main Raw Material :

Main Raw Material Details		
Name of Raw Material	Raw Material Unit Name	Raw Material Quantity
COAL- 600 MT	Metric Tonnes/Day	.
MOLASSES-6000 MT	Metric Tonnes/Day	.
BAGASSE- 5000MT	Metric Tonnes/Day	.

C- Product with capacity :

Product Detail	
Name of Product	Product Quantity
EN/RS/ETHANOL/IMPURE ALCOHAL	1800
POWER- 2.5 MW	.

D- By-Product if any with capacity :

By Product Detail			
Name of By Product	Unit Name	Licence Product Capacity	Install Product Capacity
NA	Metric Tonnes/Day	.	.

E: Water Requirement (in KLD) and its Source :

Source of Water Details		
Source Type	Name of Source	Quantity (KL/D)
Ground Water (within premises)	Bore Well	530.0

F. Quantity of effluent (In KLD) :

Effluent Details	
Source Consumption	Quantity (KL/D)
Process	360.0
Domestic	10.0

G- Fuel used in the equipment/machinery Name and Quantity (per day) :

Fuel Consumption Details		
Fuel	Consumption(tpd/kld)	Use
Others	200	AS FUEL
Others	125	AS FUEL
Coal	50	AS FUEL
Others	110	AS FUEL

For any change in above mentioned parameters, it will be mandatory to obtain Consent to Establish again. No further expansion or modification in the plant shall be carried out without prior approval of U.P. Pollution Control Board.

2. You are directed to furnish the progress of Establishment of plant and machinery, green belt, Effluent Treatment Plant and Air pollution control devices, by 10th day of completion of subsequent quarter in the Board.
3. Copy of the work order/purchase order, regarding instruction and supply of proposed Effluent Treatment Plant/Sewerage Treatment Plant /Air Pollution control System shall be submitted by the industry till 11/05/2023 to the Board.
4. Industry will not start its operation, unless CTO is obtained under water (Prevention and control of Pollution) Act, 1974 and Air (Prevention and control of Pollution)Act, 1981 from the Board.
5. It is mandatory to submit Air and Water consent Application,complete in all respect, four months before start of operation, to the U.P. Pollution Control Board.
6. Legal action under water (Prevention and control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act,1981 may be initiated against the industry With out any prior information,in case of non compliance of above conditions.
7. Bank details.

Bank Fee Details				
Bank Name	Branch Name	Draft No./Money Receipt No	Date	Rupees
AXIS BANK LTD.	SHAHJAHANPUR	010401	17/01/2018	37000.0

Specific Conditions:


1. This consent to establish is valid for molasses based distillery unit of 60 KLD (Etahnol, Extra Neutral Alcohol and Impure Alcohol) and 2.5 MW Co-generation Power Plant. Distillery will be operated for 330 days in a year only.
2. Unit shall obtain Environmental Clearance under the provisions of EIA Notification, 2006 before commencing any activity related to establishment of the project and shall comply to the conditions imposed in the EC.
3. Unit must strictly maintain zero liquid discharge of effluent outside premises into drain/river/water body and on land.
4. Ground water Extraction shall not exceed 360 cubic meter per day. Unit shall install electromagnetic flow meter at water source.
5. Unit shall obtain NOC granted from CGWA for ground water extraction
6. Unit shall utilize the filtered sludge by mixing with press mud for manufacturing organic manure through biocomposting.
7. Treated water from Condensate Polishing Unit 1051 KLD shall be recycled in the process, cooling tower and fermentation.
8. Reject of RO plant shall be concentrated in Multi Effect Evaporator and then incinerated in boiler.
9. Spent wash will be concentrated in Multi Effect Evaporator followed by its use as a fuel in incineration boiler. Filtered sludge shall be mixed with press mud for manufacturing organic manure (bio-composting).
10. Industrial/trade effluent shall be segregated into High COD/TDS and Low COD/TDS effluent streams. High TDS/COD shall be passed through stripper followed by MEE and ATFD (agitated thin film drier). Low TDS effluent stream shall be treated in ETP followed by RO to meet the prescribed standards.
11. Unit shall develop Green Belt in minimum 33 percent area of Industrial Premises as per the provisions laid down in office order no. H16405/220/2018/02 dated 16-02-2018 of U.P. Pollution Control Board. The copy of said office order is available on the website of U.P. Pollution Control Board www.uppcb.com.
12. Unit shall provide arrangements for odor control and to control the mosquitoes in the bio compost yard.
13. Process effluent / any waste water shall not be allowed to mix with storm water. Storm water drain shall be passed through guard pond.
14. Unit shall identify recipient drains/ rivulets and their u/s & d/s location in consultation with UPPCB and shall carry out monthly monitoring of identified recipient drains at u/s & d/s location through lab recognized under Environment (Protection) Act, 1986.
15. Unit shall install mass flow meter at raw spent wash which reaches to lagoon and concentrated evaporator feed line, feed of RO plant and outlet of RO plant and outlet of evaporator which goes to boiler and shall ensure connectivity with the server of CPCB and UPPCB.
16. Unit shall restrict lined storage capacity to 15 days of spent wash generation.
17. ETP Sludge, process inorganic & evaporation salt shall be disposed off to the TSDF.
18. ESP along with stack height i.e. 65 meter from ground shall be provided in the proposed Boiler of 24 TPH.
19. Carbon dioxide shall be collected and sold to authorized vendors.
20. Continuous online stack emission monitoring system shall be installed at the stack of boiler for the measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server.
21. For online continuous monitoring of effluent the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.
22. Ash disposal shall be done in environmentally safe manner and fly ash rules shall be complied.
23. DG set of 1000 KVA shall be equipped with canopy and stack height shall be 10 meter above roof.
24. Fugitive emissions shall be controlled by providing closed storage, closed handling & conveyance of chemicals and water sprinkling.
25. The overall noise levels in and around area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc, on all sources of noise generation. The ambient noise level shall conform to the standards under the Environment (Protection) Act 1986,
26. Unit shall comply the provisions of Water (Prevention and Control of Pollution) Act 1974 as amended, Air (Prevention and Control of Pollution) Act 1981 amended and Environment (Protection) Act 1986, and direction issued by Hon'ble National Green Tribunal, New Delhi and Hon'ble Courts.
27. Unit shall submit the bank guarantee of Rs 1000000/- (Rs. Ten Lac only) within 15 days from the date of issue of this order, failing which this order shall be deemed invalid.

Please note that consent to Establish will be revoked, in case of, non compliance of any of the above mentioned conditions. Board reserves its right for amendment or cancellation of any of the conditions specified above. Industry is directed to submit its first compliance report regarding above mentioned specific and general conditions till 29/06/2018 in this office. Ensure to submit the regular compliance report otherwise this Consent to Establish will be revoked.

Dated:- 29/05/2018

Copy To -

Regional Officer, U.P. Pollution Control Board, Bareilly for information and to ensure the compliance of the conditions imposed in the consent order.



U.P. Pollution Control Board

CONSENT ORDER

**Ref No. -
33341/UPPCB/Bareilly(UPPCBRO)/CTO/water/S
HAHJAHANPUR /2018**

Dated : 06/11/2018

To ,

Shri KULDEEP KUMAR

M/s M/s DALMIA CHINI MILLS, NIGOHI-DISTILLERY DIVISION

M/s DALMIA CHINI MILLS, NIGOHI-DISTILLERY DIVISION (A UNIT OF DALMIA
BHARAT SUGAR AND INDUSTRIES LTD.), VILL.-KUIYAN, PO-ARELI, TAHSIL.-TILHAR, DISTT-
SHAHJAHANPUR,SHAHJAHANPUR,242407

SHAHJAHANPUR

**Sub : Consent under Section 25/26 of The Water (Prevention and control of Pollution) Act, 1974
(as amended) for discharge of effluent to M/s. M/s DALMIA CHINI MILLS, NIGOHI-
DISTILLERY DIVISION**

Reference Application No :3150295

Dated :06/11/2018

1. For disposal of effluent into water body or drain or land under The Water (Prevention and control of Pollution) Act,1974 as amended (here in after referred as the act) M/s. M/s DALMIA CHINI MILLS, NIGOHI-DISTILLERY DIVISION is hereby authorized by the board for discharge of their industrial effluent generated through ETP for irrigation/river through drain and disposal of domestic effluent through septic tant/soak pit subject to general and special conditions mentioned in the annexure ,in refrence to their foresaid application .
2. This consent is valid for the period from 29/10/2018 to 31/12/2019 .
3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 27(2) of the Water (Previntion and Controt of Pollution) Act, 1974 as amended .

This consent is being issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board

Chief Environment Officer

**Enclosed : As above
(condition of consent):**

Copy to: Regional Officer UPPCB Bareilly for information and to ensure the compliance of the conditions imposed in the consent order.

Chief Environment Officer

U.P. POLLUTION CONTROL BOARD, LUCKNOW

Annexure to Consent issued to M/s.M/s DALMIA CHINI MILLS, NIGOHI-DISTILLERY DIVISION vide

Consent Order No. 3150295/ Water

Dated : 06/11/2018

CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of molasses based distillery and the production of 60 KLD (Etahnol, Extra Neutral Alcohol and Impure Alcohol) and 2.5 MW Co-generation Power Plant.

2. The quantity of maximum daily effluent discharge should not be more than the following :

Effluent Discharge Details			
S.No	Kind of Effulant	Maximum daily discharge,KL/day	Treatment facility and discharge point
1	Domestic	10 KLD	Septic Tank
2	Industrial	360 KLD (ZLD)	ETP

3. Arrangement should be made for collection of water used in process and domestic effluent separately in closed water supply system. The treated domestic and industrial effluent if discharged outside the premises, if meets at the end of final discharge point, arrangement should be made for measurement of effluent and for collecting its sample. Except the effluent informed in the application for consent no other effluent should enter in the said arrangements for collection of effluent. It should also be ensured that domestic effluent should not be discharged in storm water drain .

4 a. The domestic effluent should be treated in treatment plant so that the should be in conformity with the following norms dated treated effluent .

Domestic Effulant		
S.No	Parameter	Standard
1	Total Suspended Solids	100 mg/l
2	BOD	30 mg/l
3	COD	250mg/l
4	Oil & Grease	10mg/l
5	Quantity of Discharge	10 KLD

4 b. The industrial effluent should be treated in treatment plant so that the treated effluent should be in conformity with the following norms. .

Industrial Effulant		
S.No	Parameter	Standard
1	Quantity of Discharge	ZLD

5 . Effluent generated in all the processes, bleed water, cooling effluent and the effluent generated from washing of floor and equipments etc should be treated before its disposal with treated industrial effluent so that it should be according to the norms prescribed under The Environment (Protection) Act,1986 or otherwise mandatory .

6 . The other pollutant for which norms have not been prescribed, the same should not be more than the norms prescribed for the water used in manufacturing process of the industry .

7 . The method for collecting industrial and domestic effluent and its analysis should be as per legal Indian standards and its subsequent amendments/standards prescribed under The Environment (Protection) Act, 1986.

8 . The treated domestic and industrial effluent be mixed (as per the provisions of Condition No. 2) and disposed of on one disposal point. This common effluent disposal point should have arrangement for flow meter/V Notch for measuring effluent and its log book be maintained .


Specific Conditions:

1. This consent is valid for molasses-based distillery 60 KLD (Ethanol, Extra Neutral Alcohol, Rectified Spirit and Impure Alcohol) and 2.5 MW Co-generation Power Plant. Operation of the unit shall be 330 days in a year.
2. Unit shall ensure compliance of the conditions of Environmental Clearance issued vide letter dated 30.5.2018 of MoEF&CC, Government of India.
3. Unit shall ensure compliance of the conditions of Consent to Establish, issued by UPPCB, vide letter dated 29.5.2018.
4. Spent wash shall be concentrated in MEE and used as fuel in Boiler. Total effluent 1051 KLD shall be treated in the Condensate Polishing Unit, Reverse Osmosis Plant and shall be used in process. There shall be no discharge of treated/untreated waste water from the unit, thus ensuring zero liquid discharge.
5. Filtered sludge shall be mixed with press mud for bio composting.
6. Total fresh water requirement to be met from ground water shall not exceed 360 cubic meter per day.
7. Unit shall ensure regular operation of web camera with night vision capability and flow meters in the channel /drain carrying effluent within premises.
8. Spent wash shall be stored in impervious RCC lagoons with proper lining with HDPE and shall be kept in proper condition to prevent ground water pollution. The storage of spent wash shall not exceed 30 days capacity.
9. Domestic sewage shall be discharged through STP.
10. Unit shall identify recipient drains/ rivulets and their u/s & d/s location in consultation with UPPCB and shall carry out monthly monitoring of identified recipient drains at u/s & d/s location through lab recognized under Environment (Protection) Act, 1986 and shall submit the analysis report on monthly basis by 10th of every month to CPCB and UPPCB.
11. Unit shall use concentrated spent wash :press mud ratio of 1:1 and shall provide documentary proof support for procurement/ availability of press mud, sale of compost and compost quality on monthly basis by 10th of every month to CPCB and UPPCB.
12. Unit shall develop Green Belt in minimum 33 percent area of Industrial Premises as per the provisions laid down in office order no. H16405/220/2018/02 dated 16-02-2018 of U.P. Pollution Control Board. The copy of said office order is available on the website of U.P. Pollution Control Board www.uppcb.com.
13. Unit shall provide arrangements for odor control and to control the mosquitoes in the bio compost yard.
14. Process effluent / any waste water shall not be allowed to mix with storm water. Storm water drain shall be passed through guard pond.
15. Unit shall comply to the conditions imposed in the NOC of CGWA for ground water extraction.
16. The overall noise levels in and around area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc, on all sources of noise generation. The ambient noise level shall conform to the standards under the Environment (Protection) Act 1986.
17. Unit shall ensure compliance of the provisions of Hazardous and Other Waste (Management and Transboundary Movement) Rules 2016.
18. Unit shall comply the provisions of Water (Prevention and Control of Pollution) Act 1974 as Amended and Environment (Protection) Act 1986, and direction issued by Hon'ble National Green Tribunal, New Delhi in Order dated 13.07.2017 in OA no. 200/2014, M.C. Mehta v/s Union of India.

Issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board .

Chief Environment Officer



U.P. Pollution Control Board

CONSENT ORDER

Ref No. - 33337/UPPCB/Bareilly(UPPCBRO)/CTO/air/SHAHJAHANPUR/2018

Dated : 06/11/2018

To ,

Shri KULDEEP KUMAR

M/s M/s DALMIA CHINI MILLS, NIGOHI-DISTILLERY DIVISION

M/s DALMIA CHINI MILLS, NIGOHI-DISTILLERY DIVISION (A UNIT OF DALMIA BHARAT SUGAR AND INDUSTRIES LTD.), VILL.-KUIYAN, PO-ARELI, TAHSIL.-TILHAR, DISTT-SHAHJAHANPUR, SHAHJAHANPUR, 242407

SHAHJAHANPUR

Sub : Consent under section 21/22 of the Air (Prevention and control of Pollution) Act, 1981 (as amended) to M/s. M/s DALMIA CHINI MILLS, NIGOHI-DISTILLERY DIVISION

Reference Application No. 3149865

Dated : 06/11/2018

1. With reference to the application for consent for emission of air pollutants from the plant of M/s M/s DALMIA CHINI MILLS, NIGOHI-DISTILLERY DIVISION. under Air Act 1981. It is being authorised for said emissions, as per the standards, in environment, by the Board as per enclosed conditions .
2. This consent is valid for the period from 29/10/2018 to 31/12/2019 .
3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 21 (6) of the Air (Prevention and Control of Pollution) Act, 1981 as amended.
This consent is being issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board

Chief Environment Officer

**Enclosed : As above
(condition of consent):**

Copy to: Regional Officer UPPCB Bareilly for information and to ensure the compliance of the conditions imposed in the consent order.

Chief Environment Officer

U.P. Pollution Control Board

Dated : 06/11/2018

CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of 60 KLD (Ethanol, Extra Neutral Alcohol and Impure Alcohol) and 2.5 MW Co-generation Power Plant.
- 2(a). The maximum rate of emission of flue gas should not be more than the emission norms for the stacks.

Air Pollution Source Details					
S.No	Air Pollution Source	Type of Fuel	Stack No.	Parameters	Height
1	boiler 24 TPH	Slop and baggase	1	Particulate Matter	ESP as APCS and stack height of 65 meter from ground level
2	DG set 1000 KVA	diesel	2	Particulate Matter	as per standards stipulated in E(P)Rules 1986

- 2(b). The emissions by various stacks into the environment should be as per the norms of the Board .

Emission Quality Details Detail			
S.No	Stack No	Parameter	Standard
1	1	Particulate Matter	As per Rule 59 of E(P)Rules 1986
2	2	Particulate Matter	as per standards stipulated in E(P)Rules 1986

3. Quantity of other pollutants should also be as per the norms prescribed by the Board/MOEF & CC/or otherwise mandatory .
4. The equipment for air pollution control system and monitoring ,as proposed by the industry and approved by the Board should be installed in their premises itself .
5. The modification or installation in the existing pollution control equipments should be done only by prior approval of Board .
6. The operation of air pollution control system and maintenance be done in such a way that the quantity of pollutants should be in accordance with the standards prescribed by the Board/MoEF & CC/or otherwise mandatory .
7. Unit should do provisions for fugitive emissions chimney/stack as per the norms of the Board/MOEF & CC/or otherwise mandatory .
8. The unit should submit the stack emissions monitoring report within one month from issuance of consent order along with the point wise compliance report of the consent order . Further quarterly monitoring report should be submitted .

Specific Conditions:

- 1.This consent is valid for molasses-based distillery 60 KLD (Ethanol, Extra Neutral Alcohol, Rectified Spirit and Impure Alcohol) and 2.5 MW Co-generation Power Plant. Operation of the unit shall be 330 days in a year.
- 2.Unit shall ensure compliance of the conditions of Environmental Clearance issued vide letter dated 30.5.2018 of MoEF&CC, Government of India.
- 3.Unit shall ensure compliance of the conditions of Consent to Establish, issued by UPPCB, vide letter dated 29.5.2018.
- 4.Spent wash shall be concentrated in MEE and used as fuel in 24 TPH capacity Boiler equipped with ESP as Air Pollution Control System and stack height of 65 meters from GL. There shall be no discharge of treated/untreated waste water from the unit, thus ensuring zero liquid discharge.
- 5.Unit shall ensure regular operation of web camera with night vision capability and flow meters in the channel /drain carrying effluent within premises.
- 6.Unit shall maintain and operate Air pollution control system i. e. ESP regularly and ensure that stack emissions are within the prescribed norms.
- 7.Unit shall ensure regular operation of 24x7 Continuous online monitoring system for stack emissions and data be transmitted to CPCB and UPPCB server.
- 8.Unit shall ensure that ambient air quality of nearby areas is not adversely affected due to operation and emissions of the unit.
- 9.D.G set of 1000 KVA capacity shall only be used with acoustic enclosure and adequate stack height as per the norms of Environment (Protection) Act,1986.
- 10.Unit shall use concentrated spent wash :press mud ratio of 1:1 and shall provide documentary proof support for procurement/ availability of press mud, sale of compost and compost quality on monthly basis by 10th of every month to CPCB and UPPCB.
- 11.Unit shall develop Green Belt in minimum 33 percent area of Industrial Premises as per the provisions laid down in office order no. H16405/220/2018/02 dated 16-02-2018 of U.P. Pollution Control Board. The copy of said office order is available on the website of U.P. Pollution Control Board www.uppcb.com.
- 12.Unit shall provide arrangements for odor control and to control the mosquitoes in the bio compost yard.
- 13.The overall noise levels in and around area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc, on all sources of noise generation. The ambient noise level shall conform to the standards under the Environment (Protection) Act 1986.
- 14.Unit shall ensure compliance of the provisions of Hazardous and Other Waste (Management and Transboundary Movement) Rules 2016.
- 15.Unit shall comply the provisions of Air (Prevention and Control of Pollution) Act 1981 as amended and Environment (Protection) Act 1986, and direction issued by Hon'ble National Green Tribunal, New Delhi in Order dated 13.07.2017 in OA no. 200/2014, M.C. Mehta v/s Union of India.
- 16.This Consent order shall automatically become invalid on issuance of Closure Order by C.P.C.B / UPPCB and further on Revoking of Closure order, the Consent order shall become valid

Issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board .

Chief Environment Officer



UTTAR PRADESH POLLUTION CONTROL BOARD

TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow-226010

Ref. No : 5247/UPPCB/Bareilly(UPPCBRO)/HWM/SHAHJAHANPUR /2018 Dated: 02/02/2019

To,

M/s DALMIA CHINI MILLS NIGOHI DISTILLERY DIVISION

M/s DALMIA CHINI MILLS, NIGOHI-DISTILLERY DIVISION (A UNIT OF DALMIA BHARAT SUGAR AND INDUSTRIES LTD.), VILL.-KUIYAN, PO-ARELI, TAHSIL.-TILHAR, DISTT-SHAHJAHANPUR, SHAHJAHANPUR, 242407

Tehsil : Jalalabad

District : SHAHJAHANPUR

Sub :- Authorisation issued under the provisions of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016

1. Number of authorization and date of issue 5247 and 02/02/2019 .
2. Reference of application (No. and date) 3273468 and 05/10/2018 .
3. Mr KULDEEP KUMAR of M/s DALMIA CHINI MILLS NIGOHI DISTILLERY DIVISION is hereby granted an authorization based on the enclosed signed inspection report for generation, collection, utilization, storage and disposal or any other use of hazardous or other wastes or both on the premises situated at M/s DALMIA CHINI MILLS, NIGOHI-DISTILLERY DIVISION .

Details of Authorisation

S No.	Category of Hazardous Waste as per the Schedules I, II and III of these rules	Authorised mode of disposal or recycling or utilization or co-processing, etc.	Quantity(ton/annum)
1	Schedule 1- cat-5.1(Used Oil)	TSDF/ Authorized recyclers	1KL?Annum

1. The authorization shall be valid for a period of 02/02/2023 from the date of issue of this letter .
2. The authorization is subject to the following general and specific conditions (please specify any conditions that need to be imposed over and above general conditions, if any) .

A General Conditions of Authorization -

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under .
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Board .
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization .
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorisation .
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time .

6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and penalty .
7. It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close down the facility .
8. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation .
9. The record of consumption and fate of the imported hazardous and other wastes shall be maintained .
10. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorisation .
11. The importer or exporter shall bear the cost of Import or export and mitigation of damages if any
12. An application for the renewal of an authorisation shall be made as laid down under these Rules .
13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Changes or Central Pollution Control Board from time to time .
14. Annual return shall be filed by June 30th for the period ensuring 31st March of the year .

B Specific Conditions of Authorization

1- Unit shall ensure compliance of The Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

2- Unit shall comply with the provisions of Rule 19 of The Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and send copy of Form 10 regarding Manifest for Hazardous and Other Wastes.

3- Unit shall comply with the provisions of Rule 20 of The Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and submit Annual Returns to State Board in Form-IV.

4- Waste oil shall be disposed through authorized TSDF and recyclers only.

(**Authorized Signatory**)

UTTAR PRADESH POLLUTION CONTROL BOARD

Copy to: To the Regional Officer, U.P.Pollution Control Board, Bareilly for information and necessary action .

CEO/EE, I/C Circle _____