

Ref. No: DBSIL/Distt./JWP/17/2021

Date:- 25.11.2021

To,
The Director Ministry of Environment Forest
Govt. of India
Regional Office (Central Region)
Kendriya Bhawan, 5 th floor
Sector H, Aliganj, Lucknow.

Sub: Compliance of letter No.- J-11011/316/2020- IA II(I) dated 04 Feb 2021

Dear Sir,

We are enclosing herewith compliance report for the period from April 2021 to September 2021 on the above mentioned subject of environmental clearance.

We hope you will kindly find above in order.

Thanking you.

Yours faithfully

For M/s Dalmia Chini Mills,
Distillery Unit - Jawaharpur



Authorized Signatory
Encl: As above

Name of the Project : Distillery Unit
 : M/s Dalmia Chini Mills,
 : Village Jawaharpur, Tehsil Misrikh,
 : District - Sitapur (U.P)

Clearance letter No. J-11011/316/2020- IA II(I) dated 04 Feb 2021
 Period of compliance Report: 01.04.2021 to 30.09.2021

Specific Conditions :		
S.NO.	Conditions	Compliance Status
I.	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.	All the environmental protection measures and safeguards of EIA/EMP report and risk mitigation are being followed accordingly.
II.	The project proponent will treat and reuse the treated water within the factory and no waste or treated water shall be discharged outside the premises.	Spent wash generated from the plant and concentrated in the Multi Effect Evaporator and then use in the Incineration Boiler as fuel and condensate water is being treated through CPU followed by Anaerobic, Aerobic, UV, UF & RO system. Treated water is being used in molasses/syrup dilution in the Fermentation & Cooling Tower make up. We are maintained Zero Liquid Discharge.
III.	As proposed, total fresh water requirement shall be 1300 cum/day, proposed to be met from ground water source. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard, and renewed from time to time	Permission from Central Ground Water Board for drawl of ground water has already been obtained vide their letter No. 21-4(44)/NR/CGWA/2006-1983 dated 04 December 2017 & valid up to 03 Dec. 2022.
IV.	The spent wash/other concentrates shall be incinerated.	Spent wash/other concentrates is being incinerated in the 50 TPH Incineration Boiler.
V.	CO2 generated from the process shall be bottled/made solid ice and utilized/sold to authorized vendors.	Noted for compliance
VI.	Occupational health centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.	Occupational health surveillance conducted for 58 members of unit up to September 2021 clearly indicates that none of the individual if suffering from any infectious or contagious disease.

		Annexure -1.
VII.	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.	Training is being made for all employees on safety and health aspects of chemicals handling. Safety and visual reality training is being also provided for all employees.
VIII.	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms	The unit has also been adopted arrangement for protection of possible fire hazards during manufacturing processes in material handling. Fire fighting system adopted as per norms.
IX.	Process organic residue and spent carbon, if any, shall be sent to Cement other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.	Complied With
X.	The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.	Waste minimization measures are being followed as mentioned in the E.C.
XI.	The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map	Details of green belt developed in 33% of total plant area and about 13500 plants survived as per our action plan. Approx. 15000 plants planted in this monsoon season.
XII.	As per the Ministry's OM dated 30.09.2020 superseding the OM dated 01.05.2018 regarding the Corporate Environmental Responsibility, and as per the action plan proposed by the project proponent to address the socio economic and environmental issues in the study area, the project proponent, as committed, shall provide education funds in technical training centers/ support in nearby village's schools, support in health care facilities, drinking water supply and funds for miscellaneous activities like solar street lights, battery, solar panel etc., in the nearby villages. The action plan shall to be completed within time as proposed.	Complied With
XIII.	There shall be adequate space inside the plant	We have made adequate space inside the

	premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.	plant premises earmarked for parking of vehicles for raw material and finished products and no parking allowed outside on public places.
XIV.	Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.	Storage of raw materials are being stored in covered area to prevent dust pollution and other fugitive emissions.
XV.	Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.	Continuous on line monitoring system are in placed and data is being transmitted to the CPCB and SPCB server. We have already installed web camera with night vision capability and flow meters also are in placed to carrying effluent within the premises.
XVI.	A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	Environment management cell having 06 member working accordingly and Laboratory have been set-up to control environmental parameters . Please refer Annexure-2.

General Conditions

I.	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any	It is strictly adhered to.
II.	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.	LED based lighting arrangement has already being used for energy conservation and environment betterment.
III.	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acou silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day	We have conducted Advanced Environmental Testing & Research Lab P. Ltd. New Delhi through Eco Tech Corporation Shahjahanpur for monitoring of Air Ambient Quality, Ambient Noise Levels.

	time) and 70 dBA (night time).	
IV.	The company shall undertake all relevant measures for improving the socio economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	Complied With
V.	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	We have taken sufficient funds towards capital cost and recurring cost:- a) Provision of Funds as Capital cost - 49.91 Crore b) Invested as capital cost - 49.91 Crore c) Recurring expenditure done to implement the condition stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government - 3.00 Crore/Year
VI.	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	Complied With
VII.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	Complied With
VIII.	The environmental statement for each financial year ending 31st March in Form V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to	Complied With

	the respective Regional Offices of MoEF&CC by e-mail.	
IX.	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/ . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Complied With
X.	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project,	Complied With.
XI.	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.	It is strictly adhered to.
XII.	The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory	It is strictly adhered to.
XIII.	Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.	It is strictly adhered to.
XIV.	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	It is strictly adhered to.

XV.	The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein.	Noted for compliance.
XVI.	This issues with the approval of the competent authority	Noted for compliance.



Signature and Seal

Sr. General Manager.
Dalmia Bharat Sugar & Ind. Ltd.
Unit-Distillery
Jawaharpur, Sitapur (UP)

Dalmia Bharat Sugar Industries Ltd Unit- Jawaharpur

DISTILLERY - (APR. 2021 to SEP. -2021)

SL. No.	Emp. Code	Name	Father's Name	Designation	Vision	Hearing	Mouth & Throat	Lung	Heart	Blood Pressure	Hydr ocel	Herni a	Phy. Defor mities	Accident/ Old Inju.	Infectiou s Disease	Contagio us Disease
1	000811	AJAY SINGH MAAN	VIKRAM SINGH MAAN	SR.MANAGER	WITH GLASS NORMAL	NORMAL	NAD	NORMAL	NORMAL	124/82	NIL	NIL	NONE	NONE	NONE	NONE
2	1026697	AMAN YADAV	RAKESH KUMAR YADAV	GET	NORMAL	NORMAL	NAD	NORMAL	NORMAL	112/84	NIL	NIL	NONE	NONE	NONE	NONE
3	10158	DHARAMVEER SINGH	KUNDAN LAL	EXECUTIVE TRAINEE	NORMAL	NORMAL	N.A.D.	NORMAL	NORMAL	122/84	NIL	NIL	NONE	NONE	NONE	NONE
4	2342	DINESH MISHRA	UPENDRA KUMAR MISHRA	SR. EXECUTIVE	WITH GLASS NORMAL	NORMAL	CARRIES	NORMAL	NORMAL	124/80	NIL	NIL	NONE	NONE	NONE	NONE
5	1026698	RAHUL KUMAR SINGH	ANGREJ BAHADUR SINGH	GET	NORMAL	NORMAL	NAD	NORMAL	NORMAL	126/84	NIL	NIL	NONE	NONE	NONE	NONE
6	1031816	RAKESH BABU	HARPAL SINGH	AGM	WITH GLASS NORMAL	NORMAL	NAD	NORMAL	NORMAL	116/86	NIL	NIL	NONE	NONE	NONE	NONE
7	2468	SHAHID AKHITAR ANSARI	RAMZAM ALI ANSARI	ENGINEER	WITH GLASS NORMAL	NORMAL	N.A.D.	NORMAL	NORMAL	116/80	NIL	NIL	NONE	NONE	NONE	NONE
8	1457	SUDHIR KUMAR	SATYAM VERM	SR.GENERAL MANAGER	WITH GLASS NORMAL	NORMAL	N.A.D.	NORMAL	NORMAL	120/82	NIL	NIL	NONE	NONE	NONE	NONE
9	9327	UDAI PRATAP SINGH CHAUHAN	VIJENDRA SINGH CHAUHAN	MANAGER	NORMAL	NORMAL	N.A.D.	NORMAL	NORMAL	130/80	NIL	NIL	NONE	NONE	NONE	NONE
10	2523	UMESH CHANDRA PAL	LATE SRI S.L. PAL	MANAGER	WITH GLASS NORMAL	NORMAL	N.A.D.	NORMAL	NORMAL	122/84	NIL	NIL	NONE	NONE	NONE	NONE
11	2735	AJAY KUMAR SINGH	ARUN SINGH	Instrument Mechanic	NORMAL	NORMAL	NAD	NORMAL	NORMAL	120/82	NIL	NIL	NONE	NONE	NONE	NONE
12	1977	AJIT PRATAP SINGH	GYAN SINGH	E.T.P. Operator	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	114/80	NIL	NIL	NONE	NONE	NONE	NONE
13	2455	AMAR SHARMA	SANT RAM SHARMA	D.M. Plant Operator	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	122/80	NIL	NIL	NONE	NONE	NONE	NONE
14	3504	AMIT KUMAR SINGH	BHAGWAN BUTS SINGH	Fermentation Operator	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	112/80	NIL	NIL	NONE	NONE	NONE	NONE
15	2465	ANAND PRAKASH VERMA	SURYA NATH VERMA	D.M. Plant Operator	NORMAL	NORMAL	TOBACCO	NORMAL	NORMAL	118/84	NIL	NIL	NONE	NONE	NONE	NONE
16	3452	ANSUL SHAHI	ANIL KUMAR SAHI	Microbiologist	WITH GLASS NORMAL	NORMAL	TOBACCO	NORMAL	NORMAL	114/82	NIL	NIL	NONE	NONE	NONE	NONE
17	2719	ARUN KUMAR	RAM MURTI	Instrument Technician	WITH GLASS NORMAL	NORMAL	NAD	NORMAL	NORMAL	126/80	NIL	NIL	NONE	NONE	NONE	NONE
18	2009	ASHISH KUMAR DIXIT	LATE BHANU PRAKASH DIXIT	Fitter Operative	NORMAL	NORMAL	NAD	NORMAL	NORMAL	130/80	NIL	NIL	NONE	NONE	NONE	NONE
19	2453	ASHOK KUMAR MISHRA	NARSINGH MISHRA	D.M. Plant Operator	WITH GLASS NORMAL	NORMAL	TOBACCO	NORMAL	NORMAL	122/82	NIL	NIL	NONE	NONE	NONE	NONE
20	3161	ASHWANI KUMAR VERMA	AVD HESH KUMAR VERMA	Shift Lab Chemist	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	114/80	NIL	NIL	NONE	NONE	NONE	NONE
21	3444	Bachchan	Mangu Lal	Pumpman	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	118/82	NIL	NIL	NONE	NONE	NONE	NONE
22	3466	BHANWAR SINGH RATHORE	CHATTAR SINGH RATHORE	Distillation Cum Evaporator	WITH GLASS NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	134/80	NIL	NIL	NONE	NONE	NONE	NONE
23	3479	BRAJESH KUMAR CHAUBEY	BADRINATH CHAUBE	Asstt. Electrician	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	136/82	NIL	NIL	NONE	NONE	NONE	NONE
24	3499	DHANANJAY SINGH	RAIDRV SINGH	Distillation Operator	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	112/82	NIL	NIL	NONE	NONE	NONE	NONE
25	3457	DHARENDRA KUMAR GUPTA	KANHIYA LAL GUPTA	fermentation Operator	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	126/80	NIL	NIL	NONE	NONE	NONE	NONE
26	2471	HEM RAJ SINGH	H.D.SINGH	Process Exec. Shift Chemist	WITH GLASS NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	128/80	NIL	NIL	NONE	NONE	NONE	NONE
27	3442	Jay Chand	Maiku Lal	Pumpman	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	116/84	NIL	NIL	NONE	NONE	NONE	NONE
28	3438	Krishna Pal Singh	Mahraj singh	Officer-Bio-Meth	WITH GLASS NORMAL	NORMAL	NAD	NORMAL	NORMAL	130/80	NIL	NIL	NONE	NONE	NONE	NONE
29	3447	Manoj Kumar Jaiswal	Laxmi Chand Jaiswal	Ware House Incharge	WITH GLASS NORMAL	NORMAL	NAD	NORMAL	NORMAL	126/80	NIL	NIL	NONE	NONE	NONE	NONE
30	3477	MANOJ KUMAR SINGH	RAM BACHAN SINGH	Electrician	WITH GLASS NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	138/80	NIL	NIL	NONE	NONE	NONE	NONE
31	3471	NITEESH KUMAR	KRISNA YADAV	Evaporator Operator	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	114/82	NIL	NIL	NONE	NONE	NONE	NONE


32	3503	RAGHVENDRA KUMAR	SRAVAN KUMAR	Distillation Operator	WITH GLASS NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	116/84	NIL	NIL	NONE	NONE	NONE	NONE
33	3512	RAHUL KUMAR SINGH	MADAN MOHAN SINGH	fermentation Operator	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	110/84	NIL	NIL	NONE	NONE	NONE	NONE
34	2919	RAHUL SINGH	RANA PRATAP SINGH	Yeast Man	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	138/82	NIL	NIL	NONE	NONE	NONE	NONE
35	3415	RAJ KUMAR	VEER BHAN SINGH	Senior Plant Operator	NORMAL	NORMAL	NAD	NORMAL	NORMAL	NORMAL	120/82	NIL	NIL	NONE	NONE	NONE	NONE
36	3286	RAJESH KUMAR SHARMA	BRINDRABAN SHARMA	Fitter	NORMAL	NORMAL	NAD	NORMAL	NORMAL	NORMAL	132/80	NIL	NIL	NONE	NONE	NONE	NONE
37	3158	RAM BHAWAN VISHWAKARMA	JOKHAI VISHWAKARMA	Operator E.T.P.	NORMAL	NORMAL	NAD	NORMAL	NORMAL	NORMAL	116/80	NIL	NIL	NONE	NONE	NONE	NONE
38	3454	RAM DAL VERMA	RAM DULARE VERMA	Fermentation Operator	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	118/80	NIL	NIL	NONE	NONE	NONE	NONE
39	2463	RAMESH CHANDRA DUBEY	PREM PRAKASH DUBEY	Evaporator Operator	NORMAL	NORMAL	TOBACCO	NORMAL	NORMAL	NORMAL	128/84	NIL	NIL	NONE	NONE	NONE	NONE
40	2467	RAVI KRISHNA SRIVASTAVA	RADHEY MOHAN SRIVASTAVA	Dispatch Attendant	WITH GLASS NORMAL	NORMAL	WNL	NORMAL	NORMAL	NORMAL	120/84	NIL	NIL	NONE	NONE	NONE	NONE
41	2464	RAVINDRA KUMAR SINGH	RAM DAS SINGH	D.M. Plant Operator	NORMAL	NORMAL	CARRIES	NORMAL	NORMAL	NORMAL	132/82	NIL	NIL	NONE	NONE	NONE	NONE
42	3465	ROHIT SINGH	RAM SAHAY SINGH	CPU Operator	NORMAL	NORMAL	TOBACCO	NORMAL	NORMAL	NORMAL	132/84	NIL	NIL	NONE	NONE	NONE	NONE
43	3502	SABHAJEET SINGH	KRISHNAMOHAN SINGH	Distillation Operator	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	118/80	NIL	NIL	NONE	NONE	NONE	NONE
44	3028	SANTOSH KUMAR	KAILASH NATH	Water Management	WITH GLASS NORMAL	NORMAL	PYORRHEA	NORMAL	NORMAL	NORMAL	124/80	NIL	NIL	NONE	NONE	NONE	NONE
45	3453	SANTOSH KUMAR	GAYA PRASAD	Shift-Incharge	NORMAL	NORMAL	TOBACCO	NORMAL	NORMAL	NORMAL	118/82	NIL	NIL	NONE	NONE	NONE	NONE
46	3463	Santosh Kumar	Ramakant yadav	Fitter	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	142/84	NIL	NIL	NONE	NONE	NONE	NONE
47	2456	SHIV LAL PAL	RAM SUMER PAL	Yeast Man	WITH GLASS NORMAL	NORMAL	WNL	NORMAL	NORMAL	NORMAL	136/84	NIL	NIL	NONE	NONE	NONE	NONE
48	2450	SHYAM LAL	RAM KHELAWAN	Electrician	WITH GLASS NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	124/80	NIL	NIL	NONE	NONE	NONE	NONE
49	3029	SOHAN LAL KASHYAP	CHHANGA LAL KASHYAP	Ware House Attendant	WITH GLASS NORMAL	NORMAL	NAD	NORMAL	NORMAL	NORMAL	128/82	NIL	NIL	NONE	NONE	NONE	NONE
50	2959	SUNEEL KUMAR SHARMA	INDRADEO SHARMA	Shift-Incharge	WITH GLASS NORMAL	NORMAL	NAD	NORMAL	NORMAL	NORMAL	116/82	NIL	NIL	NONE	NONE	NONE	NONE
51	3483	SURAJ DUBEY	PREM NARAYAN DUBEY	Sr. Distillation Operator	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	114/80	NIL	NIL	NONE	NONE	NONE	NONE
52	3482	SURENDRA PRASAD KUSHWAHA	RAJKISHOR PRASAD KUSHWAHA	Evaporator Operator	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	112/84	NIL	NIL	NONE	NONE	NONE	NONE
53	2191	SURENDRA PRASAD SAH	LAL BAHADUR SAH	E.T.P.Optr. (Biomet)	NORMAL	NORMAL	NAD	NORMAL	NORMAL	NORMAL	118/82	NIL	NIL	NONE	NONE	NONE	NONE
54	3497	UGESHWAR SAW	DHANNU SAW	Fitter	NORMAL	NORMAL	NAD	NORMAL	NORMAL	NORMAL	112/78	NIL	NIL	NONE	NONE	NONE	NONE
55	3445	Umesh Kumar Singh Chauhan	Vishnu Kumar Chauhan	Weightment Clerk	WITH GLASS NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	150/90	NIL	NIL	NONE	NONE	NONE	NONE
56	3426	UPENDRA KUMAR VERMA	SUNDER LAL VERMA	Plant Operotr	NORMAL	NORMAL	NAD	NORMAL	NORMAL	NORMAL	136/84	NIL	NIL	NONE	NONE	NONE	NONE
57	3327	VIJAY KUMAR SRIVASTAVA	PANCHAM LAL SRIVASTAVA	Asstt. Electrician	NORMAL	NORMAL	NAD	NORMAL	NORMAL	NORMAL	140/86	NIL	NIL	NONE	NONE	NONE	NONE
58	2673	VIKAS KUMAR MATHUR	SHRAWAN KUMAR SINGH	Instrument Mechanic	WITH GLASS NORMAL	NORMAL	CARRIES	NORMAL	NORMAL	NORMAL	120/82	NIL	NIL	NONE	NONE	NONE	NONE


Kamal Deep Jaiswal
 Medical Officer
 Occupational Health Centre Ltd.
 Dalmia Bharat Sugar & Industries
 Unit Jawaharpur
 Reg. No. 57344

Dalmia Chini Mills Distillery Division Unit-Jawaharpur, Ramkot, Sitapur(U.P.)

Environmental Management Cell

Sr. No.	Name of Employees	Designation	Qualification
1.	Mr. S. N. Verma	Sr. Manager	B.Sc. Environment & PGD in Environmental Science
2.	Mr. Umesh Chandra Pal	Manager	B.Tech. Chemical Technology
3.	Mr. K. P. Singh	Officer CPU	B.Sc., PGDBT & DIFAT
4.	Mr. Dharam Veer	Chemist CPU	B.Sc. & DIFAT
5.	Mr. Aanand Kumar	Chemist CPU	B.Sc. & DIFAT
6.	Mr. Ajit Pratap Singh	Supervisor CPU	Intermediate



Sr. General Manager
Dalmia Chini Mills
Distillery Division
Jawaharpur, Sitapur (U.P.)