

Ref. No: DBSIL/Dist./RGH/2023-24/16

Date:- 22.11.2023

To,
The Director Ministry of Environment Forest
Govt. of India
Regional Office (Central Region)
Kendriya Bhawan, 5 th floor
Sector H, Aliganj, Lucknow.

Sub: Compliance of letter No.- F.No.IA-J-11011/253/2018-IA.II(I), dated 28 December, 2020


Dear Sir,

We are enclosing herewith compliance report for the period from April 2023 to September 2023 on the above mentioned subject of environmental clearance.

We hope you will kindly find above in order.

Thanking You,

For Dalmia Bharat Sugar and Industries Limited,
Distillery Division, Ramgarh, Distt. Sitapur (U.P)



(Authorized Signatory)

Encl: As above

Name of the Project : Distillery Unit
: M/s. Dalmia Bharat Sugar And Industries Limited
(Dalmia Chini Mills)
: Vill. – Ramgarh-Mahsui,
: Thesil- Mishrik
: Distt – Sitapur. (U.P)

Clearance letter No. F.No.IA-J-11011/253/2018-IA.II(I), dated 28 December, 2020
Period of compliance Report: 01.04.2023 to 30.09.2023

Specific Conditions :		
S. No.	Conditions	Compliance Status
(I)	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.	All the environmental protection measures as per EIA/EMP report are implemented as follows; 1. Fermentation Followed by Distillation, followed by MEE 2. Incineration Boiler having Bag Filter. 3. State of art of CPU Plant followed by Anaerobic, Aerobic, UV, UF & RO system. Treated water is being used in molasses/syrup dilution in the Fermentation & Cooling Tower make up. 4. Paved road 5. Plantation etc We are achieving Zero Liquid Discharge.
(II)	As already committed by the project proponent, Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises. Treated effluent shall be reused in the process/utilities. Treated Industrial effluent shall not be used for gardening/greenbelt development/horticulture.	Spent wash generated from the plant and concentrated in the Multi Effect Evaporator and then is being used in the Incineration Boiler as fuel and condensate water is being treated through CPU followed by Anaerobic, Aerobic, UV, UF & RO system. Treated water is being used in molasses/syrup dilution in the Fermentation & Cooling Tower make up. We are achieving Zero Liquid Discharge.
(III)	As committed, Bag filter shall be installed as air pollution control equipment.	Bag Filter installed and is in operation at Incineration boiler to control air pollution.

Sej

(IV)	As proposed, total fresh water requirement shall be 640 cum/day, proposed to be met from ground water source. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard, and renewed from time to time.	Permission from UP Ground Water Department for withdrawal of ground water has already been obtained vide NOC certificate no NOC015849 & valid up to 11.07.2026. Annexure - 1
(V)	Project Proponent want to install incineration boiler for treatment of spent wash to ensure ZLD. As committed by the project proponent, the spent wash/other concentrates shall be incinerated.	Incineration boiler has been installed for treatment of spent wash and other concentrates. and is being achieved zero liquid discharge.
(VI)	CO ₂ generated from the process shall be bottled/made solid ice and utilized/sold to authorized vendors.	We are waiting decision/advise from Govt on request of our parent organization, ISMA has request letter to change the conditions in ECs to install CO ₂ plant to capture/ trap/store CO ₂ generated during fermentation process due to no demand
(VII)	Occupational health centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.	Occupational health surveillance conducted for 50 members of unit up to September 2023 clearly indicates that none of the individual if suffering from any infectious or contagious diseases. Annexure - 2
(VIII)	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.	Training is being carried out for all employees on safety and health aspects of chemicals handling. Safety and visual reality training is being also provided for all employees. Annexure - 3
(IX)	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire-fighting system shall be as per the norms.	The unit has installed arrangement for protection of possible fire hazards during manufacturing processes in material handling. Firefighting system adopted as per norms. NOC is attached here with Details as per Annexure - 4

Seey

(X)	<p>Process organic residue and spent carbon, if any, shall be sent to Cement/other suitable industries for its management/incinerations.</p>	<p>We are providing all the organic residue and spent carbon to M/S G.R.Movers, Court Road Roshanganj, Shahjhanpur, U.P - 242001 for further processing. Details as per Annexure - 5</p>
(XI)	<p>The company shall undertake waste minimization measures as below</p> <p>(a) Metering and control of quantities of active ingredients to minimize waste;</p> <p>(b) Reuse of by- products from the process as raw materials or as raw material substitutes in other processes.</p> <p>(c) Use of automated filling to minimize spillage.</p> <p>(d) Use of Close Feed system into batch reactors.</p> <p>(e) Venting equipment through vapour recovery system.</p> <p>(f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.</p>	<p>The company has undertaken waste minimization measures as mentioned below,</p> <p>(a) Spent wash recycle is being done in Fermenters to minimize slope quantity and RO reject in Evaporation to minimize waste.</p> <p>(b) Recycle of CO2 Scrubber water and Spent lees in fermenter as molasses/ Syrup dilution water.</p> <p>(c) We are using Automated/ Enclose dosing system for Antifoam, Acid, Nutrient, Spent wash etc. to minimize spillage.</p> <p>(d) We are using Automated/ Enclose dosing system for water, molasses, Antifoam, Acid, Nutrient, Spent wash etc in batch reactors.</p> <p>(e) Recovery of alcohol vapour through CO2 Scrubber and Vent condenser alcohol vapour through Vacuum scrubber.</p> <p>(f) We are using Hydro Jet pump for Calenderia tube and Plant condenser tube cleaning of having pressure of 1500Kg/Cm²</p>
(XII)	<p>The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map.</p>	<p>Total Distillery Project Area is 4.772 Hectare, and green belt is being develop in 33% of total plant area i.e 1.58 Hectare, and about 18000 plants planted as per our action plan. We had developed plantation as per Miyawaki schemes. Layout of Distillery Unit attached as Annexure – 6</p>

sey

(XIII)	The activities and the action plan proposed by the project proponent to address the public hearing and socio-economic issues in the study area, shall be completed as per the schedule presented before the Committee and as described in the EMP report in letter and spirit. All the commitments made during public hearing shall be satisfactorily implemented	Complied with
(XIV)	The project proponent shall ensure rain water harvesting system in the project area and reduce dependency on ground water.	We have adopted natural ponds for recharge of ground water as per NOC condition of UP Ground Water Department.
(XV)	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.	We have made adequate space inside the plant premises earmarked for parking of vehicles for raw material and finished products and no parking allowed outside on public places.
(XVI)	Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.	Storage of raw materials is being stored in covered area to prevent dust pollution and other fugitive emissions.
(XVII)	Project Proponent shall reduce the quantity of effluents generation in the unit and PP shall install the effective wastewater treatment system. Adequate system shall be in place for controlling the odour and mitigation measures to protect the contamination of ground/surface water.	System shall be adopted to reduce the quantity of effluent generation, condensate water shall be treated through CPU followed by Anaerobic, Aerobic, UV, UF & RO system. Treated water shall be used in molasses/syrup dilution in the Fermentation & Cooling Tower make up. We are maintained Zero Liquid Discharge.

Sey

(XVIII)	<p>Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.</p>	<p>Continuous on line monitoring system is being placed and data is being transmitted to the CPCB and SPCB server. We have already installed web camera with night vision capability and flow meters also are in placed to carrying effluent within the premises.</p>
(XIX)	<p>A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.</p>	<p>Environment management cell having 11 member working accordingly and Laboratory is being in operation to control environmental parameters Annexure - 7</p>
(I)	<p>General Conditions:- No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIM, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIM to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.</p>	<p>It is strictly adhere to.</p>

See

(II)	The energy source for lighting purpose shall be preferably solar/LED based, or advance having preference in energy conservation and environment betterment.	LED based lighting arrangement is being used for energy conservation and environment betterment.
(III)	The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one station each is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.	We have decided with consultation of SPCB officers for locations of Ambient air quality monitoring stations of our unit and monitoring is being done accordingly. We have engaged third party (Advance Environmental Testing and Research Lab Pvt Ltd. Gwalior) for environmental monitoring on regular basis.
(IV)	The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R.No. 826(E) dated 16 th November, 2009 shall be followed.	We have conducted Advance Environmental Testing and Research Lab Pvt Ltd. Gwalior through Eco tech Corporation Shahjahanpur for monitoring of Air Ambient Quality Monitoring..
(V)	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	We have conducted Advance Environmental Testing and Research Lab Pvt Ltd. Gwalior through Eco tech Corporation Shahjahanpur for monitoring of Air Ambient Noise
(VI)	The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and to utilize the same for process requirements.	We have adopted natural ponds for recharge of ground water as per NOC condition of UP Ground Water Department.

Sej

(VII)	<p>Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.</p>	<p>Training has been made for all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be also provided for all employees on regular basis, routine periodical medical examinations for all employees shall be undertaken on regular basis</p>
(VIII)	<p>The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. The activities shall be undertaken by involving local villages and administration.</p>	<p>The company's focus area for CSR for the local community has been in the field of climate action (Water and Energy). Livelihood skill development, social infrastructure development, health care education, sanitation, environment conservation. Expenditures for above activities in the FY 2023-2024 is Rs-3,09,62,771.00 Details is being enclosed as Annexure - 8</p>
(IX)	<p>The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.</p>	<p>Complied with.</p>
(X)	<p>The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management pollution control measures shall not be diverted for any other purpose.</p>	<p>We have taken sufficient funds towards capital cost and recurring cost:- a) Provision of Funds as Capital cost - 50.00 Crore b) Invested as capital cost - 50.00 Crore c) Recurring expenditure shall be made to implement the condition stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government - Approx 2.0 Crore/Year</p>

Scy

(XI)	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO , if any, from whom suggestions/representations, if any, were received while processing the proposa	Complied with
(XII)	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	Complied with.
(XIII)	The environmental statement for each financial year ending 31 st March in Form-Vas is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.	Complied with.

Scy¹⁰

(XIV)	<p>The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.</p>	<p>Advertisement in two numbers of News paper (Amar Ujala (Hindi), Times of India (English)) on dated 30th and 31st Dec.2020 respectively.</p>
(XV)	<p>The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.</p>	<p>Complied with.</p>
(XVI)	<p>This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.</p>	<p>It is strictly adhered to.</p>





GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh

Form 8 (C)

[See Rule 8(1)]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019.]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: NOC015849

VALID UP TO : 11/07/2026

{UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019}

Registration No.: 202105000094			
Name of the Owner	AGHA ASIF BEIG		
Designation पद	Assistant Executive Director	Company Name कंपनी का नाम	Dalmia Bharat Sugar and Industries Limited
Company Address कंपनी का पता	Distillery Division Unit Ramgarh Sitapur	Authorization Letter प्राधिकार पत्र	Download
Address of the Applicant	Dalmia Bharat Sugar And Industries Limited, Sugar Unit Ramgarh	Application Form Serial No.	STPR0521NIN0013
Date of Submission	07/05/2021	Specimen Signature	
Location Particulars			
District	Sitapur	Block	GODLAMU
Plot No./Khasra No.	N/A	Municipality/Corporation	N/A
Ward No./Holding No.			N/A
Particular of the Proposed Well and Pumping Device			
Date of Construction/Sinking of the Well	22/07/2021		
Type of Well	Tube Well/Boring	Depth of the Well (In meter)	60.00
Purpose of well	Industrial	Assembly Size(For Tube Well)	
Strainer Position (For Tube Well)			
Type of Pump Used	Submersible	H.P. of the Pump	10.00
Operational Device	Electric Motor	Rate of Withdrawal (m³/hr.)	84.00
Date of Energization (In Case of Electric Pump)	20/08/2021		

Maximum Allowable Rate of Withdrawal (m3/hr.):	84.00	Maximum Allowable Running Hours Per Day:	12.00
---	-------	---	-------

Maximum Allowable Annual Extraction of Ground Water:	367920
---	--------

This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3j), for Running Hours I day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.

GENERAL CONDITIONS:

- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration
- In case, any of the particulars I information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage , this registration is liable for cancellation.
- The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis
- **Guidelines for Installation of Piezometers and their Monitoring**

Piezometer is a borewell /tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- o The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
- o The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- o No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

S.No	Quantum of Ground water withdrawal (cum/day)	No.of piezometers required	Monitiring Mechanism	
			Manual	DWLR with Telemetry
1	< 10	0	0	0
2	11 - 50	1	1	0
3	50- 500	1	0	1
4	> 500	2	0	2

- o The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter upto two decimal.
- o For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- o The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- o All the details regarding coordinates, reduced level (with respect to mean level), depth, zone taped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- o The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt capacity bottle) to the concerned Director,

Ground Water Department, Uttar Pradesh, for chemical analysis.

- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site specific requirement regarding safety and access for measurement may be taken care off.
- Any other condition(s) that may be imposed by the concerned Authority.
- In case, any of the particulars I information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
- Any other condition imposed by the concerned Authority.
- In case, any of the particulars I information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
-
- **SPECIFIC CONDITIONS:**
- **(A) For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to CGWA. All such industries shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means.
 - iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³ /day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 15 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
-
- **(B) Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³ /day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc

This certificate is electronically generated and does not require digital signature




cement! sugar! refractories! power!

Ref.: MO/

Dated: 19.09.2023

TO WHOMSOEVER IT MAY CONCERN


I HAVE EXAMINED 50 PERSONS OF OUR DISTILLERY UNIT AS PER LIST ENCLOSED AND FOUND THEM THAT THEY ARE NOT SUFFERING ANY COMMUNICABLE DISEASE AND FIT TO DO THEIR RESPECTIVE JOBS AND HAVE FIXED MY STAMP ON THE LIST IN TOKEN OF MY CERTIFICATION OF THEIR FITNESS.


Dr. Nitish Mishra
Factory Medical Officer
Dalmia Bharat Sugar & Industries Ltd.
(Dr. Nitish Mishra)
Medical Officer Incharge


Dalmia Bharat Sugar & Industries Ltd. Unit- RAMGARH ,Distt- Sitapur (UP)

MEDICAL EXAMINATION- DISTILLERY - (APRIL-23 to SEPTEMBER- 23)

Sr. No.	Name	Father's Name	Designation	Vision	Hearing	Mouth & Throat	Lungs	Heart	Blood Pressure	Hydrocele	Hernia	Phy. Deformities	Accident / Old Injuries	Infectious Disease	Contagious Disease
1	Brij Mohan Lal	Late Madan Mohan Lal	Deputy General Manager	W G NORMA	NORMAL	N A D	NORMAL	NORMAL	124/86	NILL	NILL	NONE	NONE	NONE	NONE
2	Sudheer Kumar Sisodia	Chhetrapal Singh	Manager Production	W G NORMA	NORMAL	N A D	NORMAL	NORMAL	128/88	NILL	NILL	NONE	NONE	NONE	NONE
3	Shashank Vishnoi	mahipal Singh	Manager Mech	W G NORMA	NORMAL	N A D	NORMAL	NORMAL	120/76	NILL	NILL	NONE	NONE	NONE	NONE
4	Adarsh Shukla	Daya Shankar Shukla	Executive	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	116/84	NILL	NILL	NONE	NONE	NONE	NONE
5	Hoshiyar Singh	Vijay Singh Yadav	Senior Executive	W G NORMA	NORMAL	N A D	NORMAL	NORMAL	120/82	NILL	NILL	NONE	NONE	NONE	NONE
6	Durgesh Yadav	Dharamraj Yadav	BX_Graduate Engineer Trainee	NORMAL	NORMAL	N A D	NORMAL	NORMAL	110/70	NILL	NILL	NONE	NONE	NONE	NONE
7	Sunil Kumar	Late Bansil Lal	Executive	NORMAL	NORMAL	N A D	NORMAL	NORMAL	136/80	NILL	NILL	NONE	NONE	NONE	NONE
8	Kamlesh Kumar Dubey	Rajnarayan Dubey	Deputy Manager	NORMAL	NORMAL	N A D	NORMAL	NORMAL	110/82	NILL	NILL	NONE	NONE	NONE	NONE
9	Kuldeep Kashyap	Laxman Kashyap	Warehouse Clerk	NORMAL	NORMAL	N A D	NORMAL	NORMAL	116/74	NILL	NILL	NONE	NONE	NONE	NONE
10	Ravish Kumar Gupta	Mohal Lal	Assistant Manager	NORMAL	NORMAL	N A D	NORMAL	NORMAL	116/84	NILL	NILL	NONE	NONE	NONE	NONE
11	DHAREMENDRA	RAM MILAN	INSTRUMENT TECHNICIAN	NORMAL	NORMAL	N A D	NORMAL	NORMAL	110/70	NILL	NILL	NONE	NONE	NONE	NONE
12	VINAY KUMAR GUPTA	DINA NATH GUPTA	ELECTRICIAN	NORMAL	NORMAL	N A D	NORMAL	NORMAL	132/84	NO	NILL	NONE	NONE	NONE	NONE
13	PRADEEP KUMAR	RAM SAMUJH	OPERATOR	NORMAL	NORMAL	N A D	NORMAL	NORMAL	110/70	NO	NILL	NONE	NONE	NONE	NONE
14	NIMIT KUMAR	MAHESH KUMAR	EVAPORATOR OPERATOR	NORMAL	NORMAL	N A D	NORMAL	NORMAL	116/84	NO	NILL	NONE	NONE	NONE	NONE
15	PRADEEP KUMAR SINGH	RAM KUMAR SINGH	OPERATOR	W G NORMA	NORMAL	NORMAL	NORMAL	NORMAL	120/76	NO	NILL	NONE	NONE	NONE	NONE
16	MANI KANT KUMAR	YAMUNA PRASAD	DIST GENERAL OPERATOR	W G NORMA	NORMAL	NORMAL	NORMAL	NORMAL	114/82	NO	NO	NONE	NONE	NONE	NONE
17	SANJAY KUMAR SRIVASTAVA	GANESH LAL SRIVASTAVA	Distillation Operator	W G NORMA	NORMAL	NORMAL	NORMAL	NORMAL	142/90	NO	NO	NONE	NONE	NONE	NONE
18	DHARMENDRA PRATAP SINGH	AMBIKA SINGH	BOILER OPERATOR	W G NORMA	NORMAL	TOBACCD	NORMAL	NORMAL	110/70	NO	NO	NONE	NONE	NONE	NONE
19	SHIV BAHADUR SINGH	SUK RAJ SINGH	OPERATOR	NORMAL	NORMAL	N A D	NORMAL	NORMAL	118/84	NO	NO	NONE	NONE	NONE	NONE
20	VIKKEE	AAZAD SINGH	OPERATOR	NORMAL	NORMAL	N A D	NORMAL	NORMAL	116/84	NO	NO	NONE	NONE	NONE	NONE
21	MAN SINGH	RAMESH CHANDRA	Electrician	NORMAL	NORMAL	N A D	NORMAL	NORMAL	130/88	NO	NO	NONE	NONE	NONE	NONE
22	DEFNA NATH SAINI	LALLOO SAINI	BOILER OPERATOR	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	136/80	NO	NO	NONE	NONE	NONE	NONE
23	SANTOSH SINGH	LOKENDRA SINGH	OPERATOR	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	130/88	NO	NILL	NONE	NONE	NONE	NONE
24	MANOHAR VISHWAKARMA	RAMAYAN	PLANT OPERATOR	NORMAL	NORMAL	N A D	NORMAL	NORMAL	132/86	NO	NILL	NONE	NONE	NONE	NONE
25	PANKAJ SINGH	JEET BAHADUR SINGH	PLANT OPERATOR	NORMAL	NORMAL	N A D	NORMAL	NORMAL	110/82	NO	NILL	NONE	NONE	NONE	NONE
26	CHANDRA PRAKASH	CHHEDA LAL	TURBINE OPERATOR	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	122/84	NO	NILL	NONE	NONE	NONE	NONE
27	Vinay Singh	Durgvijay Singh	TURBINE OPERATOR	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	114/82	NO	NO	NONE	NONE	NONE	NONE
28	Vijay Kr Yadav	Ram Surat Yadav	TURBINE OPERATOR	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	114/83	NO	NO	NONE	NONE	NONE	NONE

1


29	ASHISH VERMA	RAM PRATAP VERMA	PLANT OPERATOR	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	118/82	NO	NILL	NONE	NONE	NONE	NONE
30	DHAREMENDRA KUMAR SINGH	JAGANNATH SINGH	PLANT OPERATOR	NORMAL	NORMAL	N A D	NORMAL	NORMAL	110/82	NO	NO	NONE	NONE	NONE	NONE
31	CHANDAN KUMAR	BADARI PATEL	OPERATOR	W.G. NORMA	NORMAL	TOBACCO	NORMAL	NORMAL	128/88	NO	NO	NONE	NONE	NONE	NONE
32	RAKESH KUMAR YADAV	RAM NAVAL YADAV	Fireman	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	110/86	NO	NO	NONE	NONE	NONE	NONE
33	NITISH SACHAN	ADITYA KUMAR SACHAN	OPERATOR	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	112/82	NO	NO	NONE	NONE	NONE	NONE
34	AKASH	SUBHASH CHANDRIA	OPERATOR	NORMAL	NORMAL	N A D	NORMAL	NORMAL	110/70	NO	NO	NONE	NONE	NONE	NONE
35	APHLESH KUMAR	RAM SAHARE	OPERATOR	NORMAL	NORMAL	N A D	NORMAL	NORMAL	110/80	NO	NO	NONE	NONE	NONE	NONE
36	LALLAN PRASAD YADAV	RAM JATAN YADAV	OPERATOR	W.G. NORMA	NORMAL	TOBACCO	NORMAL	NORMAL	132/84	NO	NILL	NONE	NONE	NONE	NONE
37	vijay chaurasia	SHEESH BAHADUR	YEAST MAN	NORMAL	NORMAL	N A D	NORMAL	NORMAL	132/84	NO	NILL	NONE	NONE	NONE	NONE
38	ASHISH KUMAR	RANJEET SINGH	OPERATOR	NORMAL	NORMAL	N A D	NORMAL	NORMAL	122/82	NO	NILL	NONE	NONE	NONE	NONE
39	Gaurav Kr pandey	LAL BAHADUR MAHATO	OPERATOR	NORMAL	NORMAL	N A D	NORMAL	NORMAL	126/70	NO	NILL	NONE	NONE	NONE	NONE
40	BABLU YADAV	RAM ASHISH YADAV	OPERATOR	W.G. NORMA	NORMAL	N A D	NORMAL	NORMAL	110/82	NO	NILL	NONE	NONE	NONE	NONE
41	PRASHANT RAI	RAVI PRAKASH RAI	OPERATOR	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	118/82	NO	NILL	NONE	NONE	NONE	NONE
42	GYAN PRAKASH SRIVASTAV	AKHILESH SRIVASTAV	OPERATOR	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	136/80	NO	NILL	NONE	NONE	NONE	NONE
43	SIRAJ AHAMD	MOHD IDRISH	BOILER OPERATOR	W.G. NORMA	NORMAL	TOBACCO	NORMAL	NORMAL	121/82	NO	NILL	NONE	NONE	NONE	NONE
44	Raghendra Pratap Singh	Pradeep Kr Singh	BOILER OPERATOR	NORMAL	NORMAL	N A D	NORMAL	NORMAL	110/80	NO	NO	NONE	NONE	NONE	NONE
45	ARVIND KUMAR	SANTOSH KUMAR	OPERATOR	NORMAL	NORMAL	N A D	NORMAL	NORMAL	132/86	NO	NILL	NONE	NONE	NONE	NONE
46	PRADEEP KUMAR	RAM SAMUJH	OPERATOR	NORMAL	NORMAL	N A D	NORMAL	NORMAL	110/86	NO	NILL	NONE	NONE	NONE	NONE
47	JITENDRA KUMAR SINGH	CHANDRIMA SINGH	OPERATOR	NORMAL	NORMAL	N A D	NORMAL	NORMAL	134/80	NO	NILL	NONE	NONE	NONE	NONE
48	SHAILESH KUMAR YADAV	SUBHASH YADAV	DCS ENGINEER	NORMAL	NORMAL	N A D	NORMAL	NORMAL	114/82	NO	NILL	NONE	NONE	NONE	NONE
49	MOHD ASHIK	MUSTAFA HUSAIN	OPERATOR	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	128/80	NO	NILL	NONE	NONE	NONE	NONE
50	Sunil Kumar	Gander Singh	Fireman	NORMAL	NORMAL	NORMAL	NORMAL	NORMAL	136/80	NO	NILL	NONE	NONE	NONE	NONE


 Date: _____
 Page: _____

DALMIA BHARAT SUGAR & INDUSTRIES LIMITED, UNIT- RAMGARH
Training Attendance Sheet

Topic:- Fire Fighting Training

Date:- 19/05/2023

Unit:-

Venue:- Distillery Gate

Time:- 6:00 PM - 7:00 PM

Department:-

S.No	Name of Member	Designation	Signature
1	AJEET SINGH	S.O	
2	Durgesh Singh	Sup.	
3	Rahul Kumar	Sup	
4	Eaghiawdry.kv	S.O	
5	Dhruv	S.G	
6	Saurabh Singh	S.G	
7	Prasant	S.G	
8	Hrudanshu	S.B	
9	Jayesh Kumar	S.O	
10	Anshu Pandey	S.O	
11	Koushik	S	
12	Rakesh Tiwari	Sup	
13	Shyamsunder		
14	Shant Kumar	S/O	
15	Dinesh Pratap Singh	Sup	
16	Anvut Anand	S/G	
17	Prasant Shukla		
18	Rahul Singh	S	
19	Ashwini	S.G	
20	Vikas		
21	Vidish Singh	S/O	
22	Anamath Pandey	S.G	
23	चंद्रशेखर		
24			
25			

Signature of Faculty:

B.M. LAL
 Dy. General Manager
 Dalmia Bharat Sugar & Ind. Ltd.
 Distillery-Unit
 Ramgarh, Sitapur

DALMIA BHARAT SUGAR & INDUSTRIES LIMITED, UNIT- RAMGARH

Training Attendance Sheet

Topic:- PPG Awareness

Date:- 19/05/2023

Unit:- Distillery

Venue:- Distillery Gate

Time:- 5:30 - 6:00 pm

Department:-

S.No	Name of Member	Designation	Signature
1	Sunil Kumar	Shift Incharge	Sunil
2	Shashank Vishnoi	Asst. Manager	Shashank
3	Santosh	fermentation optr	Santosh
4	VIKKY	Plant optr.	VIKKY
5	Shashank	Lab chemist	Shashank
6	Devraj	Plant Helper	Devraj
7	Rahul Yadav	"	Rahul
8	Sooraj Bhan Singh Yadav	MEE Helper	Sooraj
9	Jatendra Singh	PUMP OP.	Jatendra
10	Manoj Kumar	Electrician	Manoj
11	GyanPrakash Sivanatar	LAB chemist	GyanPrakash
12	Dharmendra Singh	Yeast Man	Dharmendra
13	Aakash Shukla	Shift Incharge	Aakash
14	Ranvir Gupta	Asst. Manager	Ranvir
15	Radeep Kumar	OPD chemist	Radeep
16	Mohd. Ashiq	C.P.O. optr	Mohd. Ashiq
17	Sudheer Kr. Sisodia	Mgr. Prod ^y	Sudheer
18			
19			
20			
21			
22			
23			
24			
25			

Signature of Faculty:

(Handwritten Signature)

B.M. LAL

Dy. General Manager

Dalmia Bharat Sugar & Ind. Ltd.

Distillery-Unit

Ramgarh, Sitapur

DALMIA BHARAT SUGAR & INDUSTRIES LIMITED, UNIT- RAMGARH

Training Attendance Sheet

Topic:- Chemical Safety

Date:- 19/05/2023

Unit:- Distillery

Venue:- Distillery Gate

Time:- 5:00 - 5:30 pm

Department:-

S.No	Name of Member	Designation	Signature
1	Senil Kener	Shift Inchr.	Senil
2	Shashank Visnoi	Asst Managers.	Shashank
3	Santosh	Fath optv	Santosh
4	Vicky	Plant optv	Vicky
5	Shashank	Lab chemist	Shashank
6	Devraj	Plant Helper	Devraj
7	Rahul Yadav	"	Rahul Yadav
8	Sooraj Bhan Singh Yadav	MEE Helper	Sooraj
9	Munish Kumar	Father	Munish Kumar
10	Gyanprakash Srivastava	LAB Chemist	Gyanprakash
11	Dharmendra Singh	Yeast man	Dharmendra
12	Adash Shukla	Shift Incharge	Adash
13	Ranish Gupta	Asst Mango	Ranish
14	Pradeep Kumar	cpu chemist	Pradeep
15	Mohd. Ashik	C.P.U opt.	Mohd. Ashik
16	Jitendra Singh	PUMP op	Jitendra
17	Sudheer Kr. Sisodia	Mgr Rod	Sudheer
18			
19			
20			
21			
22			
23			
24			
25			

Signature of Faculty:

Abhishek

Suj
B.M. LAL

Dy. General Manager
Dalmia Bharat Sugar & Ind. Ltd.
Distillery Unit
Ramgarh Station

DALMIA BHARAT SUGAR & INDUSTRIES LIMITED, UNIT- RAMGARH

Training Attendance Sheet

Topic:- Fire safety & Eye wash body, Height work & Shower operation Venue:- Assembly hall
 Date:- 25/05/23 Time:- 05:30 pm - 6:30 pm
 Unit:- Ramgarh Department:- Distillery

S.No	Name of Member	Designation	Signature
1	Sunil Kumar.	Shift In charge	
2	Ashik.	CPU operator.	
3	Devraj Pandey	Plant helper.	
4	Avinash Pal.	Fermentation helper	
5	Nivek Verma	Shift Incharge.	
6	Shashank Vishnoi	Asst Manager.	
7	Punit Sharma.	Pump man.	
8	Dharmendra.	Ferom operator.	
9	Jitendra.	Pump man.	
10	Vicky	Asst operator.	
11	Neemil.	MEE operator.	
12	Ankit	DW labour.	
13	Shivbahadur.	Filter.	
14	Kuldeep.	Asst Manager Excise	
15	Avadesh.	DW labour.	
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			

B.M. LAL
 Dy. General Manager
 Dalmia Bharat Sugar & Ind. Ltd.
 Distillery-Unit
 Ramgarh, Sitapur

Signature of Faculty:

ABC type. Fire extinguisher Cylinder FE/ABC/02 used

DALMIA BHARAT SUGAR & INDUSTRIES LIMITED, UNIT- RAMGARH

Training Attendance Sheet

Topic:- Maintenance Safety

Venue:- Near PFE

Date:- 26/05/23

Time:- 5:00 - 6:00Pm

Unit:- Sugar

Department:- Boiling House

S.No	Name of Member	Designation	Signature
1	Pranab Kumar	Fitter	[Signature]
2	[Signature]	Fitter	[Signature]
3	Kamal Nath Singh	Boiler	[Signature]
4	Chandra Prasad Singh	Boiler	[Signature]
5	Kaushal Singh	Fitter	[Signature]
6	Ramesh Singh	Boiler	[Signature]
7	Prasad Singh	Fitter	[Signature]
8	[Signature]	Boiler	[Signature]
9	[Signature]	[Signature]	[Signature]
10	[Signature]	Fitter	[Signature]
11	[Signature]	Fitter	[Signature]
12	[Signature]	Fitter	[Signature]
13	[Signature]	[Signature]	[Signature]
14	[Signature]	Fitter	[Signature]
15	[Signature]	Fitter	[Signature]
16	Vishwas Nirwal	Sr. Manager (P)	[Signature]
17	Sarvan Alam Khan	AM(Env)	[Signature]
18	Pushpandra Kumar	Sr. Mgr. (Prod.)	[Signature]
19	Rajnikant Sharma	PFE operator	[Signature]
20	Ashendra Mishra	Panel	[Signature]
21	Ravindra Kumar Sachan	AGM(P)	[Signature]
22	Ajay Mishra	Mgr(P)	[Signature]
23	Alex Vade	Exec. Production	[Signature]
24	Neesay Choudhary	DGM(P)	[Signature]
25			

Signature of Faculty:

[Signature]

[Signature]
B.M. LAL

Dy. General Manager
Dalmia Bharat Sugar & Ind. Ltd.
Distillery-Unit
Ramgarh, Sitapur

DALMIA BHARAT SUGAR & INDUSTRIES LIMITED, UNIT- RAMGARH

Training Attendance Sheet

Topic:- Fire safety & Eye wash body
 Height work. Showers operation
 Date:- 26/05/23
 Unit:- Ramgarh
 Venue:- Assembly point
 Time:- 05:30 PM - 6:30 PM
 Department:- Distillery

S.No	Name of Member	Designation	Signature
1	Sunil Kumar.	Shift Incharge	Sunil
2	Ashik	CPU operator	Ashik
3	Devraj Pandey	Plant helper	Devraj
4	Avinash Pal	Perm. helper	Avinash
5	Vivek Verma.	Shift Incharge.	Vivek
6	Shashank Vishnoi	Asst Manager	Shashank
7	Punit Sharma	Pump man.	Punit Sharma
8	Dharmendra.	Perm. operator	Dharmendra
9	Jitendra.	Pump man.	Jitendra Singh
10	Vicky	Dist. operator	Vicky
11	Neeraj.	MEE operator	Neeraj
12	Ankit	DW Labours.	Ankit
13	Shivbahadur.	Filter	Shivbahadur
14	Kuldeep.	Asst Manager (Genl)	Kuldeep
15	Avadesh.	DW Labours.	Avadesh.
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			

Signature of Faculty:


B.M. LAL
 Dy. General Manager
 Dalmia Bharat Sugar & Ind. Ltd.
 Distillery-Unit
 Ramgarh, Sitapur

ABC type fire extinguisher cylinder FE/ABC/02. Used / cons

DALMIA BHARAT SUGAR & INDUSTRIES LIMITED, UNIT- RAMGARH
Training Attendance Sheet

Topic:- Fire Fighting Training

Venue:- Near Molasses Tank

Date:- 2/06/2023

Time:- 5:30 - 6:30pm

Unit:- Distillery

Department:-

S.No	Name of Member	Designation	Signature
1	Sudhal Sisodia	Ingr Prod ^M	
2	Devraj	Plant Helper	
3	Akash Kumar	C.P.V OPT	
4	Shashank Tiwari	Chemist	
5	Pradeep Kumar	OPV Chemist	
6	Dhivendra Singh	Helper	
7	Vishvas Kumar	C.P.V OPT	
8	Bom Kumar	Helper	
9	Vivek Verma	Shift Incharge	
10	Sanjosh Singh	Helper	
11	Vikkee	Plant opt	
12	Ashish Verma	Evap. op	
13	Jitendra Singh	PUMP Man	
14	Pintu Kumar	filler	
15	Shashank Vistnoi	Mechanical (Head)	
16	Ancit	Plant helper	
17			
18			
19			
20			
21			
22			
23			
24			
25			

Signature of

B.M. LAL
Dy. General Manager
Dalmia Bharat Sugar & Ind. Ltd.
Distillery-Unit
Ramgarh, Sitapur

DALMIA BHARAT SUGAR & INDUSTRIES LIMITED, UNIT- RAMGARH

Training Attendance Sheet

Topic:- Chemical safety

Date:- 26/07/23

Unit:- DBSIL

Venue:- Distillery,

Time:- 10:30am to 11:30am

Department:- Distillery,

S.No	Name of Member	Designation	Signature
1	Aparsh Sankla	Shift Inch.	
2	Mohiyar Singh	Asst. Manager.	
3	Ravish Gupta	Asst Manager.	
4	Gyan Prakash	Lab chemist	
5	Santosh Singh	Fer. opt	
6	Vikky	Plant opt	
7	Nimit Kumar.	Evappt	
8	Achish verma	Eva Opt	
9	Sanjay Srivastava	Plant opt	
10	Akhilesh Kumar	Yeast Man	
11	Ankit Dubey	Ferth Asst	
12	Rahul Kalar	Asst Opt	
13	Pradeep Singh	Plant Opt	
14	Devraj Pandey	Assistant (MEE)	
15	Biswadev Kr.	CPU Opt	
16	Dharmendra Kr.	Yeast man	
17	Chandran Kr.	Ferth opt	
18	Pradip Kr.	CPU chemist	
19	Akash Kr.	CPU Opt	
20	Jitendra Singh	Yeast man	
21	Manohar Singh	Ferth Opt	
22	Mohd. Aslak	CPU Opt.	
23	Pankaj Singh.	MEE opt	
24			
25			

Signature of Faculty:

B.M. LAL

Dy. General Manager
Dalmia Bharat Sugar & Ind. Ltd.
Distillery-Unit
Ramgarh, Sitapur

DALMIA BHARAT SUGAR & INDUSTRIES LIMITED, UNIT- RAMGARH

Training Attendance Sheet

Topic:- Fire and safety Training.
 Date:- 01/08/2023
 Unit:- DBSIL

Venue:- Distillery
 Time:- 5:00 PM - 6:00 PM
 Department:- Distillery

S.No	Name of Member	Designation	Signature
1	Pavish Gupta	Shift Incharge.	
2	Santosh Singh	Ferth opt	
3	Vicky	Plant opt	
4	Nimit	MEE opt	
5	Akhilesh Kumar	AB. Ferth opt	AB.
6	Ankit dubey	Aset opt	Ankit
7	M. Ashif	CPU opt	
8	Akash Kumar	Shift Incharge	
9	Dharmender	Yeast mech	
10	Gyanbarkash Srivastava	lab chemist	
11	Mohannar	Ferth opt	
12	Predeep Singh	CPU chemist	
13	Devraj Pandey	Aset opt	Devraj
14	Predeep Kumar	Plant opt	
15	Big way Kumar	CPU opt	
16	Sitender	Ferth opt	
17	Chandan	Ferth opt	
18	Brigesh Pandey	Aset opt	
19	Sonjay Srivastava	Plant opt	
20	Devraj	Aset opt	
21	Sunil Kumar	Shift Incharge	
22	Ashish Verma	CPU opt	
23	Pankaj Singh	MEE opt	
24			
25			

Signature of Faculty:

B.M. LAL
 Dy. General Manager
 Dalmia Bharat Sugar & Ind. Ltd.
 Distillery-Unit
 Ramgarh, Sitapur

DALMIA BHARAT SUGAR & INDUSTRIES LIMITED, UNIT- RAMGARH
Training Attendance Sheet

Topic:- Fire and safety
 Date:- 10/08/23
 Unit:- DBSIL

Venue:- Distillery
 Time:- 11:00 AM - 12:30 PM
 Department:- Distillery

S.No	Name of Member	Designation	Signature
1	Ravish Gupta	Shift Incharge	
2	Ashish Verma	Eva Opt	
3	Nimit	Eva Opt	
4	Chandar	Fert ⁿ opt	
5	Ujjay chaurasia	Fert ⁿ opt	
6	Dharmendra	Yeastman	
7	Akhilesh	Fert ⁿ opt	
8	Manohar	Fert ⁿ opt	
9	Sunil Kumar	Shift Incharge	
10	Adarsh Shukla	Shift Incharge	
11	Devoaj Pandey	Asst Opt.	
12	Brijesh Pandey	Asst opt	
13	Rahul Yadav	Asst opt	
14	Biswakh Kr.	CPU Opt.	
15	Pradip Kr.	Lab Chemist	
16	Kriyan pratish	Lab chemist	
17	Pradip Kr.	Plant Opt	
18	Santosh Singh	Fert ⁿ opt	
19	Pankaj Singh	MEE opt	
20	Sitendra	Fert ⁿ opt	
21			
22			
23			
24			
25			

Signature of Faculty:

B.M. LAL
 Dy. General Manager
 Dalmia Bharat Sugar & Ind. Ltd.
 Distillery-Unit
 Ramgarh, Sitapur

DALMIA BHARAT SUGAR & INDUSTRIES LIMITED, UNIT- RAMGARH

Training Attendance Sheet

Topic:- Fire fighting Training

Venue:- Evaporation Area

Date:- 21-09-2023

Time:- 5.00 PM

Unit:- Distillery

Department:- Distillery

S.No	Name of Member	Designation	Signature
1	Ravish Gupta	Asst. Manager.	
2	Vicky	Plant opt	
3	Akhilesh kr.	Ferth opt	
4	M. Ashif	CPU opt	
5	Dharmendra	Ferth opt	
6	Manohar	Ferth opt	
7	Pradip kr.	CPU chemist	
8	Sitendra	Ferth opt	
9	Chandrar	Ferth opt	
10	Sanjay Srivastav	Plant opt	
11	Sunil Kumar	Shift Incharge.	
12	Adarsh Sunkala	Shift Incharge.	
13	Brijen Pandey	Asst Plant opt	
14	Biswas kr.	CPU OPT	
15	Pradeep Singh	Plant opt	
16	Gyanprabha	Lab Chemist	
17	Akash kr	CPU OPT	
18	Ankit Dubey	Ferth Asst.	
19	Nimit	MEE opt	
20	Devraj	Asst MEE	
21	Santosh Singh	ferth opt	
22	Ashish Verma	Eva opt.	
23	Pankaj Singh	MEE opt	
24			
25			

Signature of Faculty:

B.M. LAL
Dy. General Manager
Dalmia Bharat Sugar & Ind. Ltd.
Distillery-Unit
Ramgarh, Sitapur

प्रारूप-छ (संलग्नक-6)

अग्नि सुरक्षा प्रमाणपत्र (पूर्णता (कम्प्लीशन) अनापत्ति प्रमाणपत्र)

पूजाईडी संख्या: UPFS/2021/40507/STP/SITAPUR/141/JD

दिनांक: 27-11-2021

प्रमाणित किया जाता है कि मैसर्स DALMIIA BHARAT SUGAR AND INDUSTRIES LIMITED DISTILLERY UNIT RAMGARH SITAPUR (भवन/ प्रतिष्ठान का नाम) पता 22-29, 31-36, 93-95, 359-362, RAMGARH, SITAPUR तहसील - MISHRIKH, प्लाट एरिया 47083 sq.mt, कुल कवर्ड एरिया 1352 (वर्ग मीटर), ब्लॉकों की संख्या - 6 जिसमें

ब्लॉक/टावर	प्रत्येक ब्लाक में तलों की संख्या	बेसमेन्ट की संख्या	ऊँचाई
CPU	2	0	7.80 mt.
PESO AND NON PESO	0	0	0 mt.
FERMENTATION	0	0	0 mt.
EVA DIST	0	0	0 mt.
EXCISE OFFICE	1	0	3.60 mt.
BOILER	0	0	0 mt.

है। भवन का अधिभोग मैसर्स DALMIIA BHARAT SUGAR AND INDUSTRIES LIMITED DISTILLERY UNIT RAMGARH SITAPUR द्वारा किया जा रहा है। इनके द्वारा भवन में अग्नि निवारण एवं अग्नि सुरक्षा व्यवस्थाएं, एन0बी0सी0 एवं तत्संबंधी भारतीय मानक ब्यूरो के आई0एस0 के अनुसार भवन में स्थापित करायी गयी व्यवस्थाओं का निरीक्षण मुख्य अग्निशमन अधिकारी द्वारा दिनांक 29-11-2021 को भवन स्वामी/भवन स्वामी के प्रतिनिधि श्री AGHA ASIF BEIG, khan.sarvaralam1978@gmail.com के साथ किया गया। भवन में अधिस्थापित अग्नि सुरक्षा व्यवस्थाएं मानकों के अनुसार अधिस्थापित पायी गयी। अतः प्रश्रगत भवन को अग्नि सुरक्षा प्रमाणपत्र (फायर सेफ्टी सर्टिफिकेट) एन0बी0सी0 की अधिभोग श्रेणी Industrial के अन्तर्गत वैधता तिथि 03-12-2021 से 02-12-2024 तक 3 वर्षों के लिए इस शर्त के साथ निर्गत किया जा रहा है कि भवन में नियमानुसार स्थापित सभी अग्निशमन व्यवस्थाओं का अनुरक्षण करते हुए क्रियाशील बनाये रखा जायेगा। भवन में स्थापित की गयी अग्निशमन व्यवस्थाओं में पायी गयी कमी के कारण किसी भी घटना के लिए मैसर्स DALMIIA BHARAT SUGAR AND INDUSTRIES LIMITED DISTILLERY UNIT RAMGARH SITAPUR अधिभोगी पूर्ण रूप से जिम्मेदार होगा/होगें। निर्गत अग्नि सुरक्षा प्रमाणपत्र का नवीनीकरण निर्धारित समयावधि के अन्दर न कराये जाने पर निर्गत अग्नि सुरक्षा प्रमाणपत्र स्वतः ही निरस्त मान लिया जायेगा, जिसके लिए मैसर्स DALMIIA BHARAT SUGAR AND INDUSTRIES LIMITED DISTILLERY UNIT RAMGARH SITAPUR अधिभोगी पूर्ण रूप से जिम्मेदार होगा/होगें।

Note : As per CFO recommendation IS BEING APPROVED

यह प्रमाण-पत्र आपके द्वारा प्रस्तुत अभिलेखों, सूचनाओं के आधार पर निर्गत किया जा रहा है। इनके असत्य पाए जाने पर निर्गत प्रमाण-पत्र मान्य नहीं होगा। यह प्रमाण-पत्र भूमि / भवन के स्वामित्व / अधिभोग को प्रमाणित नहीं करता है।

निर्गत किये जाने का दिनांक : 03-12-2021
स्थान : LUCKNOW

हस्ताक्षर (निर्गमन अधिकारी)



Digitally Signed By
(AMAN SHARMA)

[6F3173ACF1282848601D36130C6B4188B05EE040]

03-12-2021



G. R. Movers (P) Ltd.
An ISO-9001:2008 Certified Company

Date-14/07/2022

This is to certify that M/S G. R. Movers Pvt. Ltd., H. O. Roshanganj, Court Road, Shahjahanpur collecting all the Fly ash, Wet ash and Distillery decanter sludge from M/S Dalmia Bharat Sugar and Industries Ltd. (Dalmia Chini Mills) Distillery Division Unit- Ramgarh Sitapur (U.P.) since 15 th January 2022.

M/S G. R. Movers Pvt. Ltd., H. O. Roshanganj, Court Road, Shahjahanpur is working under License No.94724/U PPCB/BAREILLY (U PPCBRO)/CTO/AIR/SHAHJAHANPUR/2020-(AIR POLLUTION) Issued from 20/05/2020.




& License No.94733/U PPCB/BAREILLY (U PPCBRO)/CTO/WATER/SHAHJAHANPUR/2020-(WATER POLLUTION) Issued from 20/05/2020.

Authorized Signatory


Harsh Govind Modi

Director

G.R. Movers Pvt. Ltd.




Branch Office : C-22-A, Mukharji Colony, Shastri Nagar, Jaipur-302016 (Raj.) + Mob. : +91-9887271000
Head Office : Roshanganj, Shahjahanpur-242001 (U.P.) + Tel. : 05842-280000, Fax : 05842-281000



DISTILLERY PLANT LAYOUT GREEN AREA ,WEIGHBRIDGE ,
LOCATION CHANGE ROAD, BOUNDARY WALL STRAIGHT &
SHIFT TROLLEY WEIGHBRIDGE

ALL DIMENSION IN MM

 Dalmia BHARAT SUGAR UNIT- RAMGARH DIST. SITAPUR		JOB No.-
		REF. DRG. No.- PART No.-
DRAWN BY: RAMESH KUMAR		SCALE: n/s
CHECKED BY: CIVIL ENGINEER		DATE: 12-09-2021
APPROVED BY: G.M.(Engg.)		DRG No.-
		RCMD /G/R/A/9/21
TITLE - DISTILLERY PLANT LAYOUT		

**DALMIA BHARAT SUGAR AND INDUSTRIES LIMITED,
UNIT-RAMGARH, DISTILLERY DIVISION, RAMGARH,
SITAPUR, (U.P)- 261403.**


[ENVIRONMENTAL CELL]

In View of the statutory requirement we have re constituted an Environmental cell on 19.07.2022. It consists of the following members: -

Sr. No	Name	Designation	Qualification
1	Brij Mohan Lal	D.G.M (Distillery)	M.Sc. Microbiology, DIFAT.
2	Sarver Alam Khan	Asstt. Manager	M.Sc. Environmental Science
3	Sudhir Kumar Sisodhia	Manager Production	B.Sc., DIFAT
4	Ravish Gupta	Assistant Manager	B.Sc., DIFAT
5	Hoshiyar Singh Yadav	Microbiologist (Asstt Manager)	MSc. Biotechnology, DIFAT
6	Sunil Kumar	Shift Chemist	B.Sc., DIFAT
7	Aadarsh Shukla	Shift Chemist	B.Sc., DIFAT
8	Pradeep Kumar	CPU Chemist	B.Sc.
9	Nitish Sachan	CPU Chemist	B.Sc & ITI
10	Vishvas Kumar	CPU Operator	Diploma
11	Akash Kumar	CPU Operator	Diploma



**Dalmia Bharat Sugar and Industries
Limited**
Corporate Social Responsibility
CSR Activities and Budget Details for FY 2023-24



Submitted by

**Dalmia Bharat Sugar & Industries Limited
Unit- Ramgarh, District- Sitapur, UP**

Dear Sir/Ma'am,

Ref: CSR activities undertaken in FY 2023-24 by the Dalmia Bharat Sugar and Industries Limited (DBSIL), Unit- Ramgarh, District- Sitapur, UP

The vision of our company, DALMIA BHARAT SUGAR AND INDUSTRIES LIMITED ("Company") is to unleash the potential of everyone we touch. As we seek to do that, we aim at sustainable and inclusive growth, by making definitive triple bottom-line (social, economic and environmental) impact. While we have always had a strong commitment to comply with the law, we seldom hesitate to go beyond the limits laid under law and put in an extra effort to achieve the status of a responsible corporate citizen in tune with the Dalmia Group' s values. Aiming at creating shared values for all stakeholders, we seek to integrate corporate social responsibility ("CSR") into our businesses processes.

In compliance with the provisions of section 135 of the Companies Act, 2013 ("Act") including Schedule VII thereof, and the Companies (Corporate Social Responsibility Policy) Rules, 2014 ("Rules"), the Company shall undertake its CSR activities, projects, programmes (either new or ongoing) in a manner compliant with the Act and the Rules ("Projects").

In light of the Company' s vision and objectives as set out above, the Company undertake Projects covering the following areas/activities:

The Company' s focus area for CSR for the local community has been in the field of Climate Change (Water and Energy) Livelihood Skill Development, Social Infrastructure Development, Healthcare, Education, Sanitation, Environment conservation. Consistently we are trying to create visible impact and equitable change in the lives of the rural communities through the various development projects/programmes


However, with reference to your office direction issued via letter File No: IV/ENV/UP/IND-187/560/2020/566 on dated 4th March 2022 regarding submission of the details of our CSR activities along with expenditure made, being furnished below -

CSR Activities and Budget Details FY 2023-24

Programme	Activity	UoM	Units	Unit Cost	Total Cost
CLIMATE ACTION WATER AND ENERGY CONSERVATION	WATER HARVESTING STRUCTURE	Nos.	100	95,000.00	95,00,000.00
	FARM YARD MANURE PITS	PITS	900	2,000.00	18,00,000.00
	VERMI COMPOST PITS	PITS	350	5,180.00	18,13,000.00
	DRIP IRRIGARION	Nos.	10	2,05,177.00	20,51,770.00
SKILLS AND LIVELIHOOD	DAIRY DEVELOPMENT PROJECT	Nos.	50	31,051.56	15,52,578.00
	LIVELIHOOD TRAINING FOR SHGS	Nos.	10	60,000.00	6,00,000.00
	GRAM PARIVARTAN	Nos.	100	31,251.00	31,25,100.00
SOCIAL INFRASTRUCTURE	COMMON SERVICE LAB CSL	Nos.	100	4,400.00	4,40,000.00
	SEEKHO SEEKHAO PROJECT FCRA	Nos.	10	1,80,132.30	18,01,323.00
	SEEKHO SEEKHAO PROJECT	Nos.	50	1,20,000.00	60,00,000.00
	Education Project with IEC and SSP	Nos.	10	1,21,400.00	12,14,000.00
	UNIT CONTINGENCY	Nos.	100	10,000.00	10,00,000.00
PROGRAM EXECUTION COST	STAFF WELFARE	Nos.	100	600.00	60,000.00
	STATIONERY AND COMMUNICATION	Nos.	10	500.00	5,000.00
TOTAL					3,09,62,771.00

Thanking you.

Yours faithfully,



For DALMIA BHARAT SUGAR & INDUSTRIES LIMITED
Unit Head, DBSIL, Ramgarh

प्रारूप-छ (संलग्नक-6)

अग्नि सुरक्षा प्रमाणपत्र (पूर्णता (कम्प्लीशन) अनापत्ति प्रमाणपत्र)

यूआईडी संख्या: UPFS/2021/40507/STP/SITAPUR/141/JD

दिनांक: 27-11-2021

प्रमाणित किया जाता है कि मैसर्स DALMIIA BHARAT SUGAR AND INDUSTRIES LIMITED DISTILLERY UNIT RAMGARH SITAPUR (भवन/ प्रतिष्ठान का नाम)पता 22-29, 31-36, 93-95, 359-362,RAMGARH,SITAPUR तहसील - MISHRIKH, प्लाट एरिया 47083 sq.mt , कुल कवर्ड एरिया 1352 (वर्ग मीटर), ब्लाकों की संख्या - 6 जिसमें

ब्लॉक/टावर	प्रत्येक ब्लॉक में तलों की संख्या	बेसमेन्ट की संख्या	ऊँचाई
CPU	2	0	7.80 mt.
PESO AND NON PESO	0	0	0 mt.
FERMENTATION	0	0	0 mt.
EVA DIST	0	0	0 mt.
EXCISE OFFICE	1	0	3.60 mt.
BOILER	0	0	0 mt.

है। भवन का अधिभोग मैसर्स DALMIIA BHARAT SUGAR AND INDUSTRIES LIMITED DISTILLERY UNIT RAMGARH SITAPUR द्वारा किया जा रहा है। इनके द्वारा भवन में अग्नि निवारण एवं अग्नि सुरक्षा व्यवस्थाएं, एन0बी0सी0 एवं तत्संबंधी भारतीय मानक ब्यूरो के आई0एस0 के अनुसार भवन में स्थापित करायी गयी व्यवस्थाओं का निरीक्षण मुख्य अग्निशमन अधिकारी द्वारा दिनांक 29-11-2021 को भवन स्वामी/भवन स्वामी के प्रतिनिधि श्री AGHA ASIF BEIG, khan.sarvaralam1978@gmail.com के साथ किया गया। भवन में अधिस्थापित अग्नि सुरक्षा व्यवस्थाएं मानकों के अनुसार अधिस्थापित पायी गयी। अतः प्रश्नगत भवन को अग्नि सुरक्षा प्रमाणपत्र (फायर सेफ्टी सर्टिफिकेट) एन0बी0सी0 की अधिभोग श्रेणी Industrial के अन्तर्गत वैधता तिथि 03-12-2021 से 02-12-2024 तक 3 वर्षों के लिए इस शर्त के साथ निर्गत किया जा रहा है कि भवन में नियमानुसार स्थापित सभी अग्निशमन व्यवस्थाओं का अनुरक्षण करते हुए क्रियाशील बनाये रखा जायेगा। भवन में स्थापित की गयी अग्निशमन व्यवस्थाओं में पायी गयी कमी के कारण किसी भी घटना के लिए मैसर्स DALMIIA BHARAT SUGAR AND INDUSTRIES LIMITED DISTILLERY UNIT RAMGARH SITAPUR अधिभोगी पूर्ण रूप से जिम्मेदार होगा/होगें। निर्गत अग्नि सुरक्षा प्रमाणपत्र का नवीनीकरण निर्धारित समयावधि के अन्दर न कराये जाने पर निर्गत अग्नि सुरक्षा प्रमाणपत्र स्वतः ही निरस्त मान लिया जायेगा, जिसके लिए मैसर्स DALMIIA BHARAT SUGAR AND INDUSTRIES LIMITED DISTILLERY UNIT RAMGARH SITAPUR अधिभोगी पूर्ण रूप से जिम्मेदार होगा/होगें।

Note : As per CFO recommendation IS BEING APPROVED

"यह प्रमाण-पत्र आपके द्वारा प्रस्तुत अभिलेखों , सूचनाओं के आधार पर निर्गत किया जा रहा है। इनके असत्य पाए जाने पर निर्गत प्रमाण-पत्र मान्य नहीं होगा

| यह प्रमाण-पत्र भूमि / भवन के स्वामित्व / अधिभोग को प्रमाणित नहीं करता है।"

हस्ताक्षर (निर्गमन अधिकारी)



Digitally Signed By
(AMAN SHARMA)

[6F3173ACF1282848601D36130C6B4188B05EE040]

03-12-2021

निर्गत किये जाने का दिनांक : 03-12-2021
स्थान : LUCKNOW